

Price Book

AP70/AP80

Main Products

| Part Number | Description | RRP excl. | RRP incl. |
|---------------|---|-----------|-----------|
| 22096366 |  AP28 Control Unit: With white weather cover, flush mount installation kit (order desired SimNet cable separately). Optional for NSO / NSE | 6697.55 | 8371.94 |
| 000-10182-001 |  AP70 Control unit; AP70 Control Unit with user manual, 6m cable with connectors in both ends, T-connector, 2m power cable with connector in one end, sun cover, gasket for panel mounting and mounting screws. Supply 12-24VDC. | 8791.00 | 10988.75 |
| 000-10577-001 |  AP70 Pack (AP70, AC70, RF300, without heading sensor) | 18997.50 | 23746.88 |
| 000-10578-001 |  AP70 Thruster Pack (AP70, AC70, RF300, RC42, SD80) | 25330.00 | 31662.50 |
| 000-11071-001 |  AP70 Thruster Pack for analog thruster (AP70, AC70, RF300, AD80) | 25330.00 | 31662.50 |
| 000-10186-001 |  AC70 Autopilot Computer for reversible motor or non galvanic isolated solenoids, 1 NMEA 0183 RX/TX port, T-connector, 2m power network cable with terminator, 0.6m pigtail male. Terminator 120 ohm male. Installation manual and mounting accessories. Supply 12-24 VDC. | 9588.15 | 11985.19 |
| 000-10579-001 |  AP70 IMO Pack Analog (AP70, AC80A, without heading sensor) | 23095.00 | 28868.75 |
| 000-10580-001 |  AP70 IMO Pack Solenoid (AP70, AC80S, RF45X, without heading sensor) | 26820.00 | 33525.00 |
| 000-10581-001 |  AP70+ IMO Start KIT (AP70, AC85) | 18997.50 | 23746.88 |
| 000-10181-001 |  AP80 Control unit | 19183.75 | 23979.69 |
| 000-10187-001 |  AC80A Autopilot Computer | 15347.00 | 19183.75 |
| 000-10188-001 |  AC80S Autopilot Computer | 15347.00 | 19183.75 |
| 000-10189-001 |  AC85 Autopilot Computer | 10966.40 | 13708.00 |
| 000-10582-001 |  Dual Analog Kit (Two AD80 PCB assembly) | 10430.00 | 13037.50 |
| 000-11072-001 |  Dual solenoid kit (two SD80 PCB assembly, two RF45X) | 16725.25 | 20906.56 |
| 000-10583-001 |  Dual solenoid kit (two SD80 PCB assembly, one RF45X) | 12881.05 | 16101.31 |
| 000-10588-001 |  SI80 PCB assembly. Signal Interface board with 4 NMEA 0183 RX/TX ports and built-in 12V Network power and termination | 5475.75 | 6844.69 |

Price Book

| Part Number | Description | RRP excl. | RRP incl. |
|--------------------|---|-----------|-----------|
| 000-10595-001 |  AC70 PCB assembly; option for Voith Schneider propeller | 8269.50 | 10336.88 |
| 000-10586-001 |  AD80 PCB assembly | 5475.75 | 6844.69 |
| 000-10587-001 |  SD80 PCB assembly. Solenoid and proportional Drive Interface for rudder and thruster | 5475.75 | 6844.69 |
| 000-10425-001 |  SI80 Signal Interface with 4 NMEA 0183 RX/TX ports, built-in 12V Network supply, 0.6m pigtail cable / female. Including mounting description and mounting accessories. Supply 12-24 VDC. | 6570.90 | 8213.63 |
| 000-10191-001 |  AD80 Analog Drive Interface for rudder/thruster | 6578.35 | 8222.94 |
| 000-10192-001 |  SD80 Solenoid Drive Interface for rudder/thruster | 6578.35 | 8222.94 |
| 000-10190-001 |  SIMRAD Image Pending AC85 CABINET | 6332.50 | 7915.63 |
| 000-10584-001 |  SIMRAD Image Pending NAUT-AW back up pack | 11920.00 | 14900.00 |
| 000-10585-001 |  SIMRAD Image Pending NAUT-AW safety option | 5587.50 | 6984.38 |
| Accessories | | | |
| Part Number | Description | RRP excl. | RRP incl. |
| 000-10182-001 |  AP70 Control unit; AP70 Control Unit with user manual, 6m cable with connectors in both ends, T-connector, 2m power cable with connector in one end, sun cover, gasket for panel mounting and mounting screws. Supply 12-24VDC. | 8791.00 | 10988.75 |
| 000-10186-001 |  AC70 Autopilot Computer for reversible motor or non galvanic isolated solenoids, 1 NMEA 0183 RX/TX port, T-connector, 2m power network cable with terminator, 0.6m pigtail male. Terminator 120 ohm male. Installation manual and mounting accessories. Supply 12-24 VDC. | 9588.15 | 11985.19 |
| 000-10187-001 |  AC80A Autopilot Computer | 15347.00 | 19183.75 |
| 000-10188-001 |  AC80S Autopilot Computer | 15347.00 | 19183.75 |
| 000-10192-001 |  SD80 Solenoid Drive Interface for rudder/thruster | 6578.35 | 8222.94 |
| 000-10589-001 |  NF80/FU80/QS80 bulkhead Mounting Kit | 894.00 | 1117.50 |
| 20193744 |  RF300 Rudder Feedback: With transmission link and 10 m (33 ft) cable | 1817.80 | 2272.25 |
| 22011415 | RF45X Rugged rudder Feedback Unit; with transmission link and 2 m cable and Junction box | 3933.60 | 4917.00 |

Price Book

| Part Number | Description | RRP excl. | RRP incl. |
|---------------|---|--|-----------------|
| 000-0119-79 |  | N2K-T-RD - NMEA 2000® T-connector for connection of an additional network device | 139.91 174.89 |
| 000-0127-53 |  | N2KEXT-6RD - 1.82 m (6-ft) NMEA 2000® cable for backbone extension or drop cable to connect an additional network device | 311.56 389.45 |
| 000-10404-001 |  | MICRO-C, FIELD CONNECTOR | 178.80 223.50 |
| 22096572 |  | AP28 Weather Cover | 178.80 223.50 |
| 000-10590-001 |  | AP70 Optional mounting bracket | 1080.25 1350.31 |
| 000-10597-001 |  | AP70 protective cover | 298.00 372.50 |

Spare Parts

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|-------------|-----------|-----------|
| | | | |

Price Book

AP35/AP50

Main Products

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|--|-----------|-----------|
| 20214045 | AP50  | 14080.50 | 17600.63 |
| 20212130 | SIMRAD Image Pending AP50 OPTIONAL MOUNTING BRACKET | 1028.10 | 1285.13 |
| 20214052 | SIMRAD Image Pending AP51 Remote Control: With 7m cable and standard mounting kit | 8716.50 | 10895.63 |
| 20214011 | SIMRAD Image Pending J50 Junction Unit: Two NMEA 0183 input and output ports. Supplies 10 Hz heading output from Tx. port 2. Radar clock/data interface, External alarm, System select Autopilot/Main steering. Controls reversible drive units drawing up to 10 A (continuous load) and solenoid activated steering system up to 3 A (isolated output) | 15421.50 | 19276.88 |
| 20214029 | SIMRAD Image Pending J50-40 Junction Unit: Two NMEA 0183 input and output ports. Supplies 10 Hz, heading output from Tx. port 2. Radar clock/data interface, External alarm, System select Autopilot/Main steering. Controls reversible drive units drawing up to 20 A (continuous load) | 16762.50 | 20953.13 |
| 20126819 | SIMRAD Image Pending JD50 Junction Unit: Two NMEA 0183 input and output ports. Supplies 10 Hz. heading output from Tx. port 2. Radar clock/data interface, External alarm, System select Autopilot/Main steering. Steering commands provided through solid state switching of two independent sets of directional solenoid valves. | 30545.00 | 38181.25 |
| 20126827 | SIMRAD Image Pending JD51 Junction Unit: Two NMEA 0183 input and output ports. Supplies 10 Hz. heading output from Tx. port 2. Radar clock/data interface, External alarm, System select Autopilot/Main steering. Steering commands provided through solid state switching of two independent sets of directional solenoid valves. | 32556.50 | 40695.63 |
| 20126835 | SIMRAD Image Pending JD52 Junction Unit: Two NMEA 0183 input and output ports. Supplies 10 Hz. heading output from Tx. port 2. Radar clock/data interface, External alarm, System select Autopilot/Main steering. Steering commands provided through solid state switching of two independent sets of directional solenoid valves. | 32556.50 | 40695.63 |
| 20126843 | SIMRAD Image Pending  JD53 Junction Unit: Two NMEA 0183 input and output ports. Supplies 10 Hz. heading output from Tx. port 2. Radar clock/data interface, External alarm, System select Autopilot/Main steering. Steering commands provided through two galvanic isolated output control signals of +/-10 V DC, 4-20 mA, or a control signal that can be adjusted within a certain range of an input reference voltage | 35126.75 | 43908.44 |
| 20213088 | SIMRAD Image Pending AD50 Analog Drive: The AD50 provides Analog or Proportional control of a rudder, by either continuous voltage, or Danfoss PVEM valve signal. Set-up from AP50 Control Unit and communicates via RobNet. Please note that a +/- 10 V controlled rudder requires no rudder feedback unit. Order required length Robnet cable separately | 5460.85 | 6826.06 |
| 22089189 | SIMRAD Image Pending TI51 Thruster Interface: Provides signal for operating one thruster by on/off solenoid, continuous control or Dantoss PVEM valve. Order required length Robnet cable separately | 11286.75 | 14108.44 |
| 22089536 | SIMRAD Image Pending NI300X NMEA 0183 Interface Unit: For installations requiring additional NMEA ports. Features 4 NMEA Rx/Tx ports, 1 AD10 type heading output port. Order required length Robnet cable separately. | 9409.35 | 11761.69 |
| 22085104 | SIMRAD Image Pending AP35 CONTROL UNIT WITH ACCESSORIES | 9387.00 | 11733.75 |
| 22085120 | SIMRAD Image Pending  J300X Junction unit: Two NMEA 0183 input and output ports. Supplies 10 Hz. heading output from Tx. port 2. Radar clock/data interface. External alarm. Controls reversible drive units and solenoid activated steering systems drawing up to 10 A. (continuous load) 12/24/32 V DC | 9722.25 | 12152.81 |

Accessories

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|--|-----------|-----------|
| 20212130 | SIMRAD Image Pending AP50 OPTIONAL MOUNTING BRACKET | 1028.10 | 1285.13 |
| 20214011 | SIMRAD Image Pending J50 Junction Unit: Two NMEA 0183 input and output ports. Supplies 10 Hz heading output from Tx. port 2. Radar clock/data interface, External alarm, System select Autopilot/Main steering. Controls reversible drive units drawing up to 10 A (continuous load) and solenoid activated steering system up to 3 A (isolated output) | 15421.50 | 19276.88 |
| 20214029 | SIMRAD Image Pending J50-40 Junction Unit: Two NMEA 0183 input and output ports. Supplies 10 Hz, heading output from Tx. port 2. Radar clock/data interface, External alarm, System select Autopilot/Main steering. Controls reversible drive units drawing up to 20 A (continuous load) | 16762.50 | 20953.13 |

Price Book

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|--|-----------|-----------|
| 20126819 |  JD50 Junction Unit: Two NMEA 0183 input and output ports. Supplies 10 Hz. heading output from Tx. port 2. Radar clock/data interface, External alarm, System select Autopilot/Main steering. Steering commands provided through solid state switching of two independent sets of directional solenoid valves. 19-40 V DC, 3 A | 30545.00 | 38181.25 |
| 20126827 |  JD51 Junction Unit: Two NMEA 0183 input and output ports. Supplies 10 Hz. heading output from Tx. port 2. Radar clock/data interface, External alarm, System select Autopilot/Main steering. Steering commands provided through solid state switching of two independent sets of directional solenoid valves. 110 V DC, 1 A | 32556.50 | 40695.63 |
| 20126835 |  JD52 Junction Unit: Two NMEA 0183 input and output ports. Supplies 10 Hz. heading output from Tx. port 2. Radar clock/data interface, External alarm, System select Autopilot/Main steering. Steering commands provided through solid state switching of two independent sets of directional solenoid valves. 110/220 V AC, 1 A | 32556.50 | 40695.63 |
| 20126843 |  JD53 Junction Unit: Two NMEA 0183 input and output ports. Supplies 10 Hz. heading output from Tx. port 2. Radar clock/data interface, External alarm, System select Autopilot/Main steering. Steering commands provided through two galvanic isolated output control signals of +/-10 V DC, 4-20 mA, or a control signal that can be adjusted within a certain range of an input reference voltage | 35126.75 | 43908.44 |
| 20213088 |  AD50 Analog Drive: The AD50 provides Analog or Proportional control of a rudder, by either continuous voltage, or Danfoss PVEM valve signal. Set-up from AP50 Control Unit and communicates via RobNet. Please note that a ± 10 V controlled rudder requires no rudder feedback unit. Order required length Robnet cable separately | 5460.85 | 6826.06 |
| 22089189 |  TI51 Thruster Interface: Provides signal for operating one thruster by on/off solenoid, continuous control or Danfoss PVEM valve. Order required length Robnet cable separately | 11286.75 | 14108.44 |
| 22089536 |  NI300X NMEA 0183 Interface Unit: For installations requiring additional NMEA ports. Features 4 NMEA Rx/Tx ports, 1 AD10 type heading output port. Order required length Robnet cable separately. | 9409.35 | 11761.69 |
| 20193744 |  RF300 Rudder Feedback: With transmission link and 10 m (33 ft) cable | 1817.80 | 2272.25 |
| 20188074 |  LF3000 Linear Feedback: For use with outboard system if a rudder angle is desired. Also requires LFI3000MK2 priced/ordered separately below | 2525.55 | 3156.94 |
| 20188082 |  LFI3000MK2: Required for use on outboard application with LF3000 above | 961.05 | 1201.31 |
| 20187423 |  LF3000 Seastar Swivel Kit. For 5345 Series Cyl. A custom adapter with wider clamps specifically designed for rotating Teleflex® HC5345 steering cylinder. Avoids destruction of LF3000 | 663.05 | 828.81 |
| 21116165 |  RPU-80: Reversible Pump. For Cylinder Displacement of 80-250 cm ³ (AC12 required). 12V DC | 4239.05 | 5298.81 |
| 21116181 |  RPU80US: Reversible Pump. For Cylinder Displacement of 4.9 - 12 cu. in. (AC12 required). 12V DC | 4462.55 | 5578.19 |
| 21118237 |  RPU160US: Reversible Pump. For Cylinder Displacement of 9.8 - 24 cu. in. (AC42 required). 12V DC | 5431.05 | 6788.81 |
| 21118468 |  RPU300US, 24 V: With 24 V motor and same flow rate (183cui/min), as standard RPU300. For Cylinder Displacement of 23-26 cui. Requires 24 or 32 V DC input. (AC42 required) | 7442.55 | 9303.19 |
| 21118245 |  RPU300US, 12 V: Drive Unit Complete. For Cylinder Displacement of 23-36 cu. in. (AC42 required) | 7442.55 | 9303.19 |
| 22082929 |  AP35 Standard mounting kit | 1192.00 | 1490.00 |
| 22086433 |  JP21 Bulkhead Socket: For connection of AP51. Supplied with 7 m cable | 1177.10 | 1471.38 |

Price Book

| Part Number | | Description | RRP excl. | RRP incl. |
|-------------|---|---|-----------|-----------|
| 20214292 |  | Optional Dual Analog board for NAUT-OSV alarm interface in JD5X | 12009.40 | 15011.75 |
| 22089213 |  | SFP Steering Function Panel. For use with TI51 Thruster interface. Functions: 1177.10 Rudder - Rudder/Thruster - Thruster | 1471.38 | |

Spare Parts

| Part Number | | Description | RRP excl. | RRP incl. |
|-------------|--|-------------|-----------|-----------|
| | | | | |

Price Book

Remotes

Main Products

| Part Number | Description | RRP excl. | RRP incl. |
|---------------|--|-----------|-----------|
| 000-10185-001 |  NF80 Non Follow Up remote unit with display, 6m factory mounted drop cable, T-connector, front bezel, installation and user manual, gasket for panel mounting, mounting screws. Take command and Mode buttons. Provides course change in Auto mode. | 5215.00 | 6518.75 |
| 000-10589-001 |  NF80/FU80/QS80 bulkhead Mounting Kit | 894.00 | 1117.50 |
| 000-10183-001 |  FU80 Follow UP remote unit with display, 6m factory mounted drop cable, T- connector, front bezel, installation and user manual, gasket for panel mounting, mounting screws, loose steering lever. Take command and Mode buttons. Provides course change in Auto mode. | 5215.00 | 6518.75 |
| 000-10184-001 |  QS80 Quickstick remote unit with display, 6m factory mounted drop cable, T- connector, front bezel, installation and user manual, gasket for panel mounting, mounting screws. Take command and Mode buttons. Provides course change in Auto mode. | 5215.00 | 6518.75 |
| 23601800 |  S9 Steering Lever (NFU) | 9387.00 | 11733.75 |
| 23241227 |  S35 Non Follow Up Steering Lever: Spring loaded. Designed for indoor/outdoor mounting. Illuminated mode button. Provides course change in Auto mode. | 3352.50 | 4190.63 |
| 22022446 |  R3000X: Hand-held Remote Control with 7 m (23 ft) cable and mounting bracket. Provides NFU steering in STBY and Dodge modes. Course changing in Auto mode | 2205.20 | 2756.50 |
| 22088165 |  JS10 Non Follow Up Steering Lever: Two position NFU lever for indoor/outdoor mounting | 2123.25 | 2654.06 |
| 22089494 |  QS50 Controller: 2-axis joystick for armrest and flush mounting. Mode change (except into Nav), NFU with quick rudder center function, and course change in Auto mode. Note: QS50 does not provide FU steering | 8805.90 | 11007.38 |
| 20214037 |  FU50 Follow Up Steering Lever; with mode buttons for FU, STBY and AUTO for indoor/outdoor mounting. Illuminated mode indicators. For use with AP35 and AP50 only | 7226.50 | 9033.13 |
| 20214375 |  FU50 Flush mount kit. For use with the upgraded FU50 steering levers. Fits FU50 rev EA and higher (144 mm x 144 mm aluminum matches size of R19) | 1765.65 | 2207.06 |

Accessories

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|---|-----------|-----------|
| 22089734 |  Outdoor Mount: Designed for QS50 to fit inside of, for waterproof mounting in exposed locations | 2056.20 | 2570.25 |

Spare Parts

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|-------------|-----------|-----------|
| | | | |

Price Book

Sensors

Main Products

| Part Number | Description | RRP excl. | RRP incl. |
|---------------|--|-----------|-----------|
| 000-10756-001 |  RF25N, Rudder Feedback Unit: With transmission link and 5 m (16.5 ft) NMEA2000 Micro-C cable | 1966.80 | 2458.50 |
| 22014286 |  RF25 Rudder Feedback Unit: With transmission link and 5.5 m (18 ft) SimNet cable. | 1966.80 | 2458.50 |
| 20193744 |  RF300 Rudder Feedback: With transmission link and 10 m (33 ft) cable | 1817.80 | 2272.25 |
| 20188074 |  LF3000 Linear Feedback: For use with outboard system if a rudder angle is desired. Also requires LFI3000MK2 priced/ordered separately below | 2525.55 | 3156.94 |
| 20188082 |  LFI3000MK2: Required for use on outboard application with LF3000 above | 961.05 | 1201.31 |
| 20187423 |  SIMRAD Image Pending LF3000 Seastar Swivel Kit. For 5345 Series Cyl. A custom adapter with wider 663.05 clamps specifically designed for rotating Teleflex® HC5345 steering cylinder. Avoids destruction of LF3000 | 828.81 | |
| 22011415 |  RF45X Rugged rudder Feedback Unit; with transmission link and 2 m cable and Junction box | 3933.60 | 4917.00 |
| 22506950 |  SIMRAD Image Pending RF14XU Heavy Duty Feedback Unit: Long life feedback unit with transmission linkage. Separate output for rudder angle indicators. Double set of limit switches. Requires 24 V DC supply voltage | 12069.00 | 15086.25 |
| 000-10591-001 |  SIMRAD Image Pending RF70N | 4097.50 | 5121.88 |

Accessories

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|--|-----------|-----------|
| Spare Parts | | | |
| Part Number | Description | RRP excl. | RRP incl. |
| 20193454 |  SIMRAD Image Pending RF300 Transmission Linkage | 439.55 | 549.44 |

Price Book

Pumps

Main Products

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|--|-----------|-----------|
| 21116165 |  RPU-80: Reversible Pump. For Cylinder Displacement of 80-250 cm ³ (AC12 required). 12V DC | 4239.05 | 5298.81 |
| 21116181 |  RPU80US: Reversible Pump. For Cylinder Displacement of 4.9 - 12 cu. in. (AC12 required). 12V DC | 4462.55 | 5578.19 |
| 21118237 |  RPU160US: Reversible Pump. For Cylinder Displacement of 9.8 - 24 cu. in. (AC42 required). 12V DC | 5431.05 | 6788.81 |
| 21118468 |  RPU300US, 24 V: With 24 V motor and same flow rate (183cui/min), as standard RPU300. For Cylinder Displacement of 23-26 cui. Requires 24 or 32 V DC input. (AC42 required) | 7442.55 | 9303.19 |
| 21118245 |  RPU300US, 12 V: Drive Unit Complete. For Cylinder Displacement of 23-36 cu. in. (AC42 required) | 7442.55 | 9303.19 |

Accessories

| Part Number | Description | RRP excl. | RRP incl. |
|--------------------|--|--------------------------------|---------------|
| Spare Parts | | | |
| 21118674 |  Image Pending | BRUSH, PAIR, RPU300, LEMAC, SH | 551.30 689.13 |

Price Book

Gyros

Main Products

| Part Number | Description | RRP excl. | RRP incl. |
|--------------------|--|-----------|-----------|
| 000-10124-001 | RGC50 Pack-includes RGC50 and GI51 | 82717.35 | 103396.69 |
| |  | | |
| 27102185 | RGC50 Gyrocompass for small vessels. Built in timer. Including RGC50 Master compass and RGC50 Sensitive element | 76265.65 | 95332.06 |
| |  | | |
| 20213773 | SIMRAD Image Pending GI51 Multi purpose interface unit for gyrocompasses • Inputs: 1:1 and geared synchro, stepper signal and NMEA 0183 • Outputs: sin/cos, stepper signal, NMEA 0183, and Clock Data • Supply 10-40 VDC | 5960.00 | 7450.00 |
| 27101617 |  GC80 Compact Gyro system Parts included: • Master compass with sensitive element -P/N 27102169 • GC80/85 Compact Control Unit - P/N 27101690 • GC80/85 Compact System Manual - P/N 20221511 | 111459.45 | 139324.31 |
| 27102169 |  GC80 Master compass including sensitive element | 95471.75 | 119339.69 |
| 27101690 |  GC80/85 Compact Control Unit • 4xNMEA output • 1x24 volt step output • 24 V DC | 18483.45 | 23104.31 |
| GC80 Exp Sys |  GC80 Expanded Gyro System | 123193.20 | 153991.50 |
| GC80 Dual Sys | SIMRAD Image Pending GC80 Dual Gyro System with changeover switch | 234645.20 | 293306.50 |
| 27101716 |  GC80/85 Dual control unit with changeover switch -10 x NMEA output -4 x 24 volt step output -3 x Rate Of Turn output -24V DC and 110/220 V AC | 76995.75 | 96244.69 |
| 27101708 |  GC80/85 Expanded Control unit -10 x NMEA output -4 x 24 volt step output -3 x Rate Of Turn output -24V DC and 110/220 V AC | 30798.30 | 38497.88 |
| 27101724 | SIMRAD Image Pending GC80/85 Power Supply Unit. 110/220 V AC - 24 V DC | 12612.85 | 15766.06 |
| GC85 Comp Sys |  GC85 Compact Gyro System | 126128.50 | 157660.63 |
| GC85 Exp Sys | SIMRAD Image Pending GC85 Expanded Gyro System | 137854.80 | 172318.50 |
| 27102177 | SIMRAD Image Pending GC85 Master compass including sensitive element | 110870.90 | 138588.63 |
| Accessories | | | |
| Part Number | Description | RRP excl. | RRP incl. |
| 27102185 | RGC50 Gyrocompass for small vessels. Built in timer. Including RGC50 Master compass and RGC50 Sensitive element | 76265.65 | 95332.06 |
| |  | | |
| 20213773 | SIMRAD Image Pending GI51 Multi purpose interface unit for gyrocompasses • Inputs: 1:1 and geared synchro, stepper signal and NMEA 0183 • Outputs: sin/cos, stepper signal, NMEA 0183, and Clock Data • Supply 10-40 VDC | 5960.00 | 7450.00 |

Price Book

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|---|-----------|-----------|
| 27102169 |  GC80 Master compass including sensitive element | 95471.75 | 119339.69 |
| 27101690 |  GC80/85 Compact Control Unit <ul style="list-style-type: none"> • 4xNMEA output • 1x24 volt step output • 24 V DC | 18483.45 | 23104.31 |
| 27107572 |  IS70 ROT indicator RT70-30. Rate of turn indicator with 30-degree scale | 4283.75 | 5354.69 |
| 27107580 |  IS70 ROT indicator RT70-120. Rate of turn indicator with 120-degree scale | 4283.75 | 5354.69 |
| 27107598 |  IS70 ROT indicator RT70-300. Rate of turn indicator with 300-degree scale | 4283.75 | 5354.69 |
| 27107549 |  IS80 ROT indicator RT81-30. Rate of turn indicator with 30-degree scale | 5215.00 | 6518.75 |
| 27107556 |  IS80 ROT indicator RT81-120. Rate of turn indicator with 120-degree scale | 5215.00 | 6518.75 |
| 27107564 |  IS80 ROT indicator RT81-300. Rate of turn indicator with 300-degree scale | 5215.00 | 6518.75 |
| 27103571 |  AR80 Optional mounting bracket | 1177.10 | 1471.38 |
| 27101732 |  AR81 Single scale Bearing Repeater NMEA. To be mounted in BB holder, MB18483.45 Holder or BH stand. IMO A424 | 23104.31 | |
| 27101740 |  AR83 Dual scale Bearing Repeater NMEA. To be mounted in BB holder, MB Holder or BH stand. IMO A424 | 26402.80 | 33003.50 |
| 27102888 |  Azimuth Circle - Used on bearing repeater to take bearings on celestial bodies and surface targets etc | 8686.70 | 10858.38 |
| 27102052 |  BB Repeater Holder - Gimbaled bracket for indoor mounting of bearing repeater | 7807.60 | 9759.50 |
| 27102078 |  BH Repeater Stand - Binnacle for outdoor mounting of bearing repeater | 19593.50 | 24491.88 |
| 27103340 |  AR78 Analogue steering repeater with 120 mm dial, NMEA 0183 input. Panel mount. Complies with EMO A424(x). | 14959.60 | 18699.50 |
| 27103324 |  AR80 Analogue steering repeater with dual 168 mm dial, step motor drive with buffer electronics, NMEA 0183 input. Panel mount. Complies with IMO A424(x). | 19951.10 | 24938.88 |
| 27103365 |  DR76 Digital Repeater with 4-Digit LCD display and LED turn indicator. NMEA0183 input. Panel mount. | 14959.60 | 18699.50 |
| 27107523 |  HR80 Heading repeater | 11547.50 | 14434.38 |
| 20221511 |  GC80/85 Compact System Instruction Manual | 588.55 | 735.69 |
| 44170777 |  GC80 Extension cable 10 m (32.8 ft) (dual system) for remote installation of operating panel normally mounted in control unit | 2831.00 | 3538.75 |
| 44170744 |  GC80 Extension cable 10 m (32.8 ft) for remote installation of operating panel normally mounted in control unit | 3039.60 | 3799.50 |

Price Book

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|--|-----------|-----------|
| 44170785 | GC80 Extension cable 15 m (50 ft) (dual system) for remote installation of operating panel normally mounted in control unit | 3024.70 | 3780.88 |
| 44170751 | GC80 Extension cable 15 m (50 ft) for remote installation of operating panel normally mounted in control unit | 3598.35 | 4497.94 |
| 44170769 | GC80 Extension cable 5 m (16.5 ft) (dual system) for remote installation of operating panel normally mounted in control unit | 2287.15 | 2858.94 |
| 44170736 | GC80 Extension cable 5 m (16.5 ft) for remote installation of operating panel normally mounted in control unit | 2503.20 | 3129.00 |
| 27101757 | GC80 Remote panel kit in Simrad design for remote installation of operating panel | 1765.65 | 2207.06 |
| 27102060 | MB Repeater Holder - Trunnion bracket for Bearing Repeater | 6161.15 | 7701.44 |
| 27103589 | AR78 Optional mounting bracket | 1177.10 | 1471.38 |

Spare Parts

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|-------------|-----------|-----------|
| | | | |

Price Book

GPS

Main Products

| Part Number | Description | RRP excl. | RRP incl. |
|---------------|---|-----------|-----------|
| 000-10938-001 |  HS80 GPS COMPASS with NMEA 2000 Adaptor | 15347.00 | 19183.75 |
| 000-10453-001 |  HS70 NON-IMO GPS COMPASS | 14155.00 | 17693.75 |

Accessories

| Part Number | Description | RRP excl. | RRP incl. |
|---------------|--|-----------|-----------|
| 000-10640-001 |  HS70 Power / NMEA0183 cable, 15m | 2346.75 | 2933.44 |
| 000-10939-001 |  HS80/MX575C 15M POWER/DATA CABLE KIT | 2053.15 | 2566.43 |
| 000-10940-001 |  HS80/MX575C 30M POWER/DATA CABLE KIT | 3812.98 | 4766.23 |
| 000-10641-001 |  HS70 programming cable | 2346.75 | 2933.44 |

Spare Parts

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|-------------|-----------|-----------|
| | | | |

Price Book

Course Detectors

Main Products

| Part Number | Description | RRP excl. | RRP incl. |
|---------------|---|-----------|-----------|
| 000-10193-001 | CDI80 Course Detector Interface | 2011.50 | 2514.38 |
| 20106688 |  CD100A Course Detector with 5 m cable. Magnetic course detector with tripod holder for overhead and for conventional magnetic compass | 2525.55 | 3156.94 |
| 22087001 |  CDI35 Course detector interface. Interface unit to connect autopilot to magnetic compass with CD100A or CD109 course detector | 1676.25 | 2095.31 |

Accessories

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|-------------|-----------|-----------|
| Spare Parts | | | |

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|-------------|-----------|-----------|
| | | | |

Price Book

Fluxgate

Main Products

| Part Number | Description | RRP excl. | RRP incl. |
|---------------|---|-----------|-----------|
| 000-10613-001 | RC42N, Rate compass with 5 m (16ft) cable and Micro-C connector. | 4090.05 | 5112.56 |
| 22090187 | FC40 Fluxgate Compass with 5 m (16.5 ft) SimNet Cable | 2823.55 | 3529.44 |
| 22084438 | RC25 Rate compass. High performance fluxgate compass with integrated gyro provides more stable heading, with 15 m (50 ft) cable | 7701.44 | 6161.15 |
| 22086995 | RFC35 Electronic fluxgate compass with 15 m (50 ft) cable | 2838.45 | 3548.06 |

Accessories

| Part Number | Description | RRP excl. | RRP incl. |
|--------------------|---|-----------|-----------|
| Spare Parts | | | |
| Part Number | Description | RRP excl. | RRP incl. |
| AA010189 | 3G RI10 Radar Interface box (For NSO and NSE Systems) | 1482.55 | 1853.19 |
| AA010211 | 3G Scanner connection cable - 10 m (33 ft) | 692.85 | 866.06 |
| AA010212 | 3G Scanner connection cable - 20 m (66 ft) | 1110.05 | 1387.56 |
| AA010213 | 3G Scanner connection cable - 30 m (98 ft) | 1482.55 | 1853.19 |

Price Book

ECDIS

Main Products

| Part Number | Description | RRP excl. | RRP incl. |
|---------------|---|-----------|-----------|
| 000-00018-003 |  <p>CS68 ECDIS system, 24 V DC system with monitor Parts included: MC50 MKII Marine computer with: • 8 channels Interface unit • DVD-ROM • Floppy drive • 19" Hatteland series 1 RD Monitor • Chart interface unit • Cherry keyboard • Logitech TrackMan® Wheel + splitter cable • Loudspeaker • FB200 MC Filterbox • Operation and Installation manual. • Alarm Reset unit</p> | 115475.00 | 144343.75 |
| 000-00018-001 |  <p>CS68 ECDIS system, 24 V DC system without monitor Parts included: • MC50 MKII Marine computer with: • 8 channels Interface unit • DVD-ROM • Floppy drive • Chart interface unit • Cherry keyboard • Logitech TrackMan® Wheel + splitter cable • Loudspeaker • FB200 MC Filterbox • Operation and Installation manual • Alarm Reset unit</p> | 90890.00 | 113612.50 |
| 000-00019-001 |  <p>DISPLAY, 19" JH19T14 MMD-DA3-AABA</p> | 26402.80 | 33003.50 |

Accessories

| Part Number | Description | RRP excl. | RRP incl. |
|---------------|--|-----------|-----------|
| 26056713 |  <p>ECDIS external ON/OFF switch</p> | 1765.65 | 2207.06 |
| 44169712 |  <p>Logitech TrackMan® Wheel (Must be used in addition to Expanded operating panel to maintain IMO approval)</p> | 1035.55 | 1294.44 |
| 000-00044-001 |  <p>Radar overlay kit, for analog radars</p> | 17604.35 | 22005.44 |
| 26053231 |  <p>COP10-CS6x Remote operator panel</p> | 11733.75 | 14667.19 |

Spare Parts

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|-------------|-----------|-----------|
| | | | |

Price Book

PLECDIS

Main Products

| Part Number | Description | RRP excl. | RRP incl. |
|---------------|--|-----------|-----------|
| 000-00018-002 | <p>SIMRAD Image Pending</p> <p>CS68 PLECDIS system, 24 V DC system with monitors Parts included: • 2 X MC50 MKII Marine computer with: • 8 channels Interface unit • DVD-ROM • Floppy drive • 2 X Chart interface unit • 2 x 19" Hatteland series 1 RD Monitor • 2 X Cherry keyboard • 2 X Logitech TrackMan® Wheel + splitter cable • 2 X Loudspeaker • 2 X FB200 MC Filterbox • 2 X Alarm Reset unit • 1 x 10 m crossed network cable • Operation and Installation manuals</p> | 173212.50 | 216515.63 |
| 000-00018-004 | <p>SIMRAD Image Pending</p> <p>CS68 PLECDIS system, 24 V DC system without monitors Parts included: • 2 X MC50 MKII Marine computer with: • 8 channels Interface unit • DVD-ROM • Floppy drive • 2 X Chart interface unit • 2 X Cherry keyboard • 2 X Logitech TrackMan® Wheel + splitter cable • 2 X Loudspeaker • 2 X FB200 MC Filterbox • 2 X Alarm Reset unit • 1 x 10 m crossed network cable • 1 x Simrad PLECDIS plaque • Operation and Installation manuals</p> | 137825.00 | 172281.25 |

Accessories

| Part Number | Description | RRP excl. | RRP incl. |
|---------------|---|-----------|-----------|
| 26056713 | <p>SIMRAD Image Pending</p> <p>ECDIS external ON/OFF switch</p> | 1765.65 | 2207.06 |
| 44169712 |  <p>Logitech TrackMan® Wheel (Must be used in addition to Expanded operating panel to maintain IMO approval)</p> | 1035.55 | 1294.44 |
| 000-00044-001 | <p>SIMRAD Image Pending</p> <p>Radar overlay kit, for analog radars</p> | 17604.35 | 22005.44 |
| 26053231 | <p>SIMRAD Image Pending</p> <p>COP10-CS6x Remote operator panel</p> | 11733.75 | 14667.19 |

Spare Parts

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|-------------|-----------|-----------|
| | | | |

Price Book

NSO

Main Products

| Part Number | Description | RRP excl. | RRP incl. |
|---------------|---|-----------|-----------|
| 000-10296-001 | NSO15 EMEA - NSO15 with embedded Navionics Platinum cartography for EMEA | 42085.05 | 52606.31 |
| 000-10292-001 | NSO EMEA - NSO marine processor | 31282.55 | 39103.19 |
| 000-10298-001 | OP40 Wired Remote - Controls upto four processors - includes OP40 wired remote, 4 m (13 ft) Micro-C to SimNet cable, Sun Cover, mounting hardware and flush mount template. Can be used with NSO and NSE | 2898.05 | 3622.56 |
| 000-0134-01 | DI15 Display - 15" Simrad monitor for use with NSO. Excludes video cable. Not compatible as second monitor with NSO + DI10 | 17872.55 | 22340.69 |
| 000-10506-001 | MO15 L Hi Bright LED Backlit Monitor with remote keypad Sunlight viewable, LED Backlit, Glass Bridge monitors allow maximum screen size in the smallest spaces available. Ideal for helms with limited space and can be mounted side by side to save even more precious space. Display adjustments and settings are controlled using a remote unit which can be mounted near the display or hidden in the cabin space. The displays will accept 2 x DVI-d, 3x SXGA video inputs 3 x composite video and 1 x S-Video | 48387.75 | 60484.69 |
| 000-10507-001 | MO17 L Hi Bright LED Backlit Monitor with remote keypad Sunlight viewable, LED Backlit, Glass Bridge monitors allow maximum screen size in the smallest spaces available. Ideal for helms with limited space and can be mounted side by side to save even more precious space. Display adjustments and settings are controlled using a remote unit which can be mounted near the display or hidden in the cabin space. The displays will accept 2 x DVI-d, 3x SXGA video inputs 3 x composite video and 1 x S-Video | 63287.75 | 79109.69 |
| 000-10508-001 | MO19 L Hi Bright LED Backlit Monitor with remote keypad Sunlight viewable, LED Backlit, Glass Bridge monitors allow maximum screen size in the smallest spaces available. Ideal for helms with limited space and can be mounted side by side to save even more precious space. Display adjustments and settings are controlled using a remote unit which can be mounted near the display or hidden in the cabin space. The displays will accept 2 x DVI-d, 3x SXGA video inputs 3 x composite video and 1 x S-Video | 68502.75 | 85628.44 |

Accessories

| Part Number | Description | RRP excl. | RRP incl. |
|---------------|---|-----------|-----------|
| 000-10613-001 | RC42N, Rate compass with 5 m (16ft) cable and Micro-C connector. | 4090.05 | 5112.56 |
| 22090187 | FC40 Fluxgate Compass with 5 m (16.5 ft) SimNet Cable | 2823.55 | 3529.44 |
| 000-10298-001 | OP40 Wired Remote - Controls upto four processors - includes OP40 wired remote, 4 m (13 ft) Micro-C to SimNet cable, Sun Cover, mounting hardware and flush mount template. Can be used with NSO and NSE | 2898.05 | 3622.56 |
| 000-0134-01 | DI15 Display - 15" Simrad monitor for use with NSO. Excludes video cable. Not compatible as second monitor with NSO + DI10 | 17872.55 | 22340.69 |
| 000-10506-001 | MO15 L Hi Bright LED Backlit Monitor with remote keypad Sunlight viewable, LED Backlit, Glass Bridge monitors allow maximum screen size in the smallest spaces available. Ideal for helms with limited space and can be mounted side by side to save even more precious space. Display adjustments and settings are controlled using a remote unit which can be mounted near the display or hidden in the cabin space. The displays will accept 2 x DVI-d, 3x SXGA video inputs 3 x composite video and 1 x S-Video | 48387.75 | 60484.69 |
| 000-10507-001 | MO17 L Hi Bright LED Backlit Monitor with remote keypad Sunlight viewable, LED Backlit, Glass Bridge monitors allow maximum screen size in the smallest spaces available. Ideal for helms with limited space and can be mounted side by side to save even more precious space. Display adjustments and settings are controlled using a remote unit which can be mounted near the display or hidden in the cabin space. | 63287.75 | 79109.69 |


Price Book

| Part Number | Description | RRP excl. | RRP incl. |
|---------------|---|-----------|-----------|
| | even more precious space. Display adjustments and settings are controlled using a remote unit which can be mounted near the display or hidden in the cabin space. The displays will accept 2 x DVI-d, 3x SXGA video inputs 3 x composite video and 1 x S-Video | | |
| 000-10508-001 |  MO19 L Hi Bright LED Backlit Monitor with remote keypad Sunlight viewable, LED Backlit, Glass Bridge monitors allow maximum screen size in the smallest spaces available. Ideal for helms with limited space and can be mounted side by side to save even more precious space. Display adjustments and settings are controlled using a remote unit which can be mounted near the display or hidden in the cabin space. The displays will accept 2 x DVI-d, 3x SXGA video inputs 3 x composite video and 1 x S-Video | 68502.75 | 85628.44 |
| 000-10421-001 |  4G Broadband Radar for Simrad NSO, NSE and NSS series Includes Scanner, scanner cable 20 m (66 ft), RI10 interface box, Yellow ethernet cable - 1.8 m (6 ft) | 14892.55 | 18615.69 |
| 000-10420-001 |  3G Broadband Radar bundle for Simrad NSO, NSE and NSS series Includes Scanner, scanner cable 20 m (66 ft), RI10 interface box, Yellow ethernet cable - 1.8 m (6 ft) | 11167.55 | 13959.44 |
| 000-10029-001 |  NEP-2 Network Expansion Port | 1892.30 | 2365.38 |
| AA010070 |  NSO 12 pin utility cable | 290.55 | 363.19 |
| AA010152 |  DI10/DI15 display video cable - 3 m (9.8 ft) | 894.00 | 1117.50 |
| AA010154 |  DI10/DI15 display video cable - 10 m (33 ft) | 1080.25 | 1350.31 |
| AA010162 |  DI10/DI15 display cable kit (HDMI split cable) 5 m (16.5 ft) | 1117.50 | 1396.88 |
| AA010164 |  DI10/DI15 display cable kit (HDMI split cable) 15 m (50 ft) | 1415.50 | 1769.38 |
| AA010157 |  Monitor display cable (DVI) 5 m (16.5 ft) | 447.00 | 558.75 |
| AA010159 |  Y-Cable video splitter - DVI to VGA and DVI | 864.20 | 1080.25 |
| 000-10299-001 |  NSO Chart Reader - Dash mounted SD card reader. | 1333.55 | 1666.94 |
| 000-0125-25 |  GS15 Antenna with 4m (13ft) Micro-C to SimNet Cable | 2376.55 | 2970.69 |
| 000-10626-001 |  Power cable for Simrad MoxxL monitors 1.5 m (4.9 ft) | 290.55 | 363.19 |

Price Book

| Part Number | Description | RRP excl. | RRP incl. |
|---------------|---|-----------|-----------|
| 000-10627-001 |  Wired controller for Simrad MOxxL monitors. Used to control brightness, source etc of the monitor functions. Note: Does not control Simrad MFD software | 2227.55 | 2784.44 |
| 000-10930-001 |  Camera with Infra red for low light conditions. fixed focal length | 2749.05 | 3436.31 |

Spare Parts

| Part Number | Description | RRP excl. | RRP incl. |
|---------------|---|-----------|-----------|
| 24006413 |  Micro-C female to SimNet 4 m (13 ft) cable that connects a NMEA 2000® product to a SimNet backbone | 298.00 | 372.50 |
| 000-10394-001 |  OP40 Suncover | 216.05 | 270.06 |
| AA010157 |  Monitor display cable (DVI) 5 m (16.5 ft) | 447.00 | 558.75 |
| 000-10305-001 |  DI15 Display Bezel Black | 216.05 | 270.06 |
| 000-10307-001 |  DI15 Display Suncover | 365.05 | 456.31 |
| 000-10303-001 |  DI10/15 Mounting Display Bracket | 737.55 | 921.94 |
| 000-10302-001 |  DI10/15 Power Cable | 290.55 | 363.19 |
| 000-10301-001 |  DI15 Flush Mount Kit | 365.05 | 456.31 |
| 000-10626-001 |  Power cable for Simrad MoxxL monitors 1.5 m (4.9 ft) | 290.55 | 363.19 |
| 000-10627-001 |  Wired controller for Simrad MOxxL monitors. Used to control brightness, source etc of the monitor functions. Note: Does not control Simrad MFD software | 2227.55 | 2784.44 |

Price Book

NSE

Main Products

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|--|-----------|-----------|
| AA010200 | NSE8 Multifunction Display (EU Version) | 21597.55 | 26996.94 |
| AA010202 | NSE12 Multifunction Display (EU Version) | 29792.55 | 37240.69 |

Accessories

| Part Number | Description | RRP excl. | RRP incl. |
|---------------|--|-----------|-----------|
| 000-10613-001 | RC42N, Rate compass with 5 m (16ft) cable and Micro-C connector. | 4090.05 | 5112.56 |
| 22090187 | FC40 Fluxgate Compass with 5 m (16.5 ft) SimNet Cable | 2823.55 | 3529.44 |
| 000-10421-001 | 4G Broadband Radar for Simrad NSO, NSE and NSS series Includes Scanner, scanner cable 20 m (66 ft), RI10 interface box, Yellow ethernet cable - 1.8 m (6 ft) | 14892.55 | 18615.69 |
| 000-10420-001 | 3G Broadband Radar bundle for Simrad NSO, NSE and NSS series Includes Scanner, scanner cable 20 m (66 ft), RI10 interface box, Yellow ethernet cable - 1.8 m (6 ft) | 11167.55 | 13959.44 |
| 000-10029-001 | NEP-2 Network Expansion Port | 1892.30 | 2365.38 |
| 000-0125-25 | GS15 Antenna with 4m (13ft) Micro-C to SimNet Cable | 2376.55 | 2970.69 |
| 000-10930-001 | Camera with Infra red for low light conditions. fixed focal length | 2749.05 | 3436.31 |

Spare Parts

| Part Number | Description | RRP excl. | RRP incl. |
|---------------|--|-----------|-----------|
| 000-00139-001 | NSE/OP40/NSS Rotary Knob | 96.85 | 121.06 |
| 000-00140-001 | NSE/OP40/NSS SD Card Door Kit | 178.80 | 223.50 |
| 000-00128-001 | Power Cable:(4 Pin conn. to 4 bare wires for Power in, Power control bus and 245.85 external alarm) 2 m (6.5 ft) | 307.31 | |
| 000-00129-001 | NSE / NSS Video/Comms Cable (8 pin conn. to bare wires for NMEA and 2 RCA female for Video in Port one and two) 2 m (6.5 ft) | 283.10 | 353.88 |
| 000-00130-001 | NSE Connector Caps | 245.85 | 307.31 |

Price Book

| Part Number | Description | RRP excl. | RRP incl. |
|---------------|--|-----------|-----------|
| 000-00131-001 |  NSE Documentation Wallet | 96.85 | 121.06 |
| 000-00138-001 |  NSE Bracket Knobs and Washers (pair L/R) | 111.75 | 139.69 |
| 000-00143-001 |  NSE Flush Mount Kit | 178.80 | 223.50 |

Price Book

Argus

Main Products

| Part Number | Description | RRP excl. | RRP incl. |
|---------------|--|-----------|-----------|
| 000-10497-001 |  Argus 12U/6X P System - includes 12kW Up mast Scanner with 6' Antenna, Core unit, Expanded keyboard, Performance monitor, 40 target ARPA, 200 target AIS and Interswitch | 105045.00 | 131306.25 |
| 000-10499-001 |  Argus 12U/9X P System - includes 12kW up mast Scanner with 9' Antenna, Core unit, Expanded keyboard, Performance monitor, 40 target ARPA, 200 target AIS and Interswitch | 112495.00 | 140618.75 |
| 000-10501-001 |  Argus 25U/6X P System - includes 25kW up mast Scanner with 6' Antenna, Core unit, Expanded keyboard, Performance monitor, 40 target ARPA, 200 target AIS and Interswitch | 119945.00 | 149931.25 |
| 000-10503-001 |  Argus 25U/9X P System - includes 25kW up mast Scanner with 9' Antenna, Core unit, Expanded keyboard, Performance monitor, 40 target ARPA, 200 target AIS and Interswitch | 127395.00 | 159243.75 |
| 000-10496-001 |  Argus 12U/6X P HSC System - includes 12kW up mast Scanner with 6' Antenna, Core unit, Expanded keyboard, Performance monitor, 40 target ARPA, 200 target AIS and Interswitch | 111750.00 | 139687.50 |
| 000-10498-001 |  Argus 12U/9X P HSC System - includes 12kW up mast Scanner with 9' Antenna, Core unit, Expanded keyboard, Performance monitor, 40 target ARPA, 200 target AIS and Interswitch | 119200.00 | 149000.00 |
| 000-10500-001 |  Argus 25U/6X P HSC System - includes 25kW up mast Scanner with 6' Antenna, Core unit, Expanded keyboard, Performance monitor, 40 target ARPA, 200 target AIS and Interswitch | 127395.00 | 159243.75 |
| 000-10502-001 |  Argus 25U/9X P HSC System - includes 25kW up mast Scanner with 9' Antenna, Core unit, Expanded keyboard, Performance monitor, 40 target ARPA, 200 target AIS and Interswitch | 134845.00 | 168556.25 |
| 000-10632-001 |  ARGUS 19" monitor. | 20532.20 | 25665.25 |
| 000-10633-001 |  ARGUS 23.1" monitor, LED backlight | 39306.20 | 49132.75 |
| 000-10634-001 |  ARGUS 27" monitor, wide screen. | 35491.80 | 44364.75 |
| 000-10326-001 |  12kW X-band up mast scanner unit | 64070.00 | 80087.50 |
| 000-10327-001 |  25kW X-band up mast scanner unit | 74462.75 | 93078.44 |
| 000-10328-001 |  X-BAND SRT 12 KW UP-MAST HSC W/DOC | 71520.00 | 89400.00 |
| 000-10329-001 |  X-BAND SRT 25 KW UP-MAST HSC W/DOC | 82061.75 | 102577.19 |
| 000-10876-001 |  12 KW X-BAND U/M SCANNER FOR 12FT ANT | 66088.95 | 82611.19 |
| 000-10877-001 |  25 KW X-BAND U/M SCANNER FOR 12FT ANT | 77994.05 | 97492.56 |
| 000-10336-001 |  X-BAND ANT HEATER KIT (FACTORY MOUNTED) | 7599.00 | 9498.75 |
| 000-10324-001 |  6Ft. X-band Antenna | 17880.00 | 22350.00 |
| 000-10325-001 |  9Ft. X-band Antenna | 24659.50 | 30824.38 |
| 000-10875-001 |  12FT. X-BAND ANTENNA | 27900.25 | 34875.31 |
| 000-10337-001 |  EXPANSION KIT(for two additional scanner) | 7822.50 | 9778.13 |

Price Book

| Part Number | Description | RRP excl. | RRP incl. |
|---------------|--|-----------|-----------|
| 000-10878-001 |  Image Pending SRT ADAPTERBOX (PWR FOR ADD SCANNER) ETC | 17559.65 | 21949.56 |
| 000-10879-001 |  Image Pending 15M 1-SIDE PREWIRED SRT U.M. CABLE KIT | 3203.50 | 4004.38 |
| 000-10880-001 |  Image Pending 30M 1-SIDE PREWIRED SRT U.M. CABLE KIT | 4760.55 | 5950.69 |
| 000-10881-001 |  Image Pending 60M 1-SIDE PREWIRED SRT U.M. CABLE KIT | 7882.10 | 9852.63 |
| 000-10882-001 |  Image Pending 1/M OPEN SIDED 12+2 CORE CABLE (15 MM) | 193.70 | 242.13 |
| 000-10550-001 |  Image Pending Bottom Pedestal for ARGUS 27" wide screen Desk-Top Cabinet | 9133.70 | 11417.13 |
| 000-10549-001 |  Image Pending Bottom Pedestal for ARGUS for 19" and 23" Desk-Top Cabinet | 7807.60 | 9759.50 |
| 000-10546-001 |  Image Pending Desk-Top Cabinet for ARGUS 23" monitor (Hatteland Series 1RD) | 9312.50 | 11640.63 |
| 000-10547-001 |  Image Pending Desk-Top Cabinet for ARGUS 27" wide screen monitor (Hatteland Series 1RD) | 10802.50 | 13503.13 |
| 000-10335-001 |  Image Pending Expanded Operating Panel for Argus | 10802.50 | 13503.13 |
| 000-10330-001 |  Image Pending incl. dual receiver and interswitch | 21977.50 | 27471.88 |
| 000-10883-001 |  OSID CORE UNIT W/ INTERSWITCH, ARPA, PM | 417408.60 | 521760.75 |

Accessories

| Part Number | Description | RRP excl. | RRP incl. |
|---------------|---|-----------|-----------|
| 000-10720-001 |  Image Pending JHMMDBR STD-A1 BRACKET 17,4"-20,1" TFT | 3501.50 | 4376.88 |
| 000-10721-001 |  Image Pending JH23TBR T01-A1 BRACKET FOR 23,1" TFT | 3501.50 | 4376.88 |
| 000-10548-001 |  Image Pending Adapter Frame kit for 19" Monitor (Hatteland Series 1RD) | 2153.05 | 2691.31 |
| 000-10559-001 |  Image Pending ARGUS 11 m Prewired coaxial Interswitch Cable | 670.50 | 838.13 |
| 000-10332-001 |  Image Pending ARGUS 15m Prewired up-mast cable kit | 3352.50 | 4190.63 |
| 000-10333-001 |  Image Pending ARGUS 30m Prewired up-mast cable kit | 4842.50 | 6053.13 |
| 000-10334-001 |  Image Pending ARGUS 60m Prewired up-mast cable kit | 7822.50 | 9778.13 |
| 000-10558-001 |  Image Pending ARGUS 6 m Prewired coaxial Interswitch Cable | 409.75 | 512.19 |
| 000-10560-001 |  Image Pending ARGUS 16 m Prewired coaxial Interswitch Cable | 1043.00 | 1303.75 |

Spare Parts

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|-------------|-----------|-----------|
| | | | |

Price Book

Broadband

Main Products

| Part Number | Description | RRP excl. | RRP incl. |
|---------------|--|-----------|-----------|
| 000-10421-001 | 4G Broadband Radar for Simrad NSO, NSE and NSS series Includes Scanner, scanner cable 20 m (66 ft), RI10 interface box, Yellow ethernet cable - 1.8 m (6 ft) | 14892.55 | 18615.69 |
| 000-10420-001 | 3G Broadband Radar bundle for Simrad NSO, NSE and NSS series Includes Scanner, scanner cable 20 m (66 ft), RI10 interface box, Yellow ethernet cable - 1.8 m (6 ft) | 11167.55 | 13959.44 |

Accessories

| Part Number | Description | RRP excl. | RRP incl. |
|---------------|--|-----------|-----------|
| 000-10613-001 | RC42N, Rate compass with 5 m (16ft) cable and Micro-C connector. | 4090.05 | 5112.56 |
| AA010189 | 3G RI10 Radar Interface box (For NSO and NSE Systems) | 1482.55 | 1853.19 |
| AA010211 | 3G Scanner connection cable - 10 m (33 ft) | 692.85 | 866.06 |
| AA010212 | 3G Scanner connection cable - 20 m (66 ft) | 1110.05 | 1387.56 |
| AA010213 | 3G Scanner connection cable - 30 m (98 ft) | 1482.55 | 1853.19 |
| 000-10795-001 | SC20 Mast mount kit for Broadband Radar | 2376.55 | 2970.69 |

Spare Parts

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|---|-----------|-----------|
| AA010189 | 3G RI10 Radar Interface box (For NSO and NSE Systems) | 1482.55 | 1853.19 |
| AA010211 | 3G Scanner connection cable - 10 m (33 ft) | 692.85 | 866.06 |
| AA010212 | 3G Scanner connection cable - 20 m (66 ft) | 1110.05 | 1387.56 |
| AA010213 | 3G Scanner connection cable - 30 m (98 ft) | 1482.55 | 1853.19 |

Price Book

HD Radar

Main Products

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|--|-----------|-----------|
| DX64S-1 |  DX64S-1 24" Radome 4 kW with 15 m (49 ft) cable and Radar processor. RJ45 to 5 Pin Yellow (F) Adapter (Straight through), Ethernet cable Yellow MM 2 m (6.5 ft) | 18066.25 | 22582.81 |
| TX06S-1 |  TX06S-1 6 kW, 4 ft open array Radar Kit. Parts included: 6 kW 4' scanner with 20 m (66 ft) cable, HD Radar Processor, RJ45 to 5 Pin Yellow (F) Adapter (Straight Through), Ethernet cable Yellow MM 2 m (6.5 ft) | 27565.00 | 34456.25 |
| TX10S-1 |  TX10-1 10kW 6' Open array Radar and Processor Kit. Parts included: 10 kW 41310.25 6' scanner with 20 m (66 ft) cable, HD Radar Processor, RJ45 to 5 Pin Yellow (F) Adapter (Straight Through) | | 51637.81 |
| TX25S-1 |  TX25-1 25kW 7' Open Array and Processor Kit. Parts included: 25 kW 7' scanner with 20 m (66 ft) cable, HD Radar Processor, RJ45 to 5 Pin Yellow (F) Adapter (Straight Through) | 68979.55 | 86224.44 |

Accessories

| Part Number | Description | RRP excl. | RRP incl. |
|---------------|--|-----------|-----------|
| 000-10453-001 |  HS70 NON-IMO GPS COMPASS | 14155.00 | 17693.75 |
| 000-10613-001 |  RC42N, Rate compass with 5 m (16ft) cable and Micro-C connector. | 4090.05 | 5112.56 |
| 22090187 |  FC40 Fluxgate Compass with 5 m (16.5 ft) SimNet Cable | 2823.55 | 3529.44 |
| 24006694 |  SimNet heading sensor input. AT10HD, NMEA0183 to SimNET converter. Fast heading information only. | 677.95 | 847.44 |
| 000-10438-001 |  Ethernet adapter Straight RJ45 M to yellow 5 pin F | 223.50 | 279.38 |
| AA010093 |  20 m (66 ft) cable for 10/25 kW | 2972.55 | 3715.69 |
| AA010094 |  30 m (98 ft)cable for 10/25 kW | 3419.55 | 4274.44 |

Spare Parts

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|--|-----------|-----------|
| AA010015 |  Navico 10 kW radar processor | 4090.05 | 5112.56 |
| AA010092 |  20 m (66 ft) cable for TX06S 6 kW Image Pending | 2972.55 | 3715.69 |

Price Book

Broadband

Main Products

| Part Number | Description | RRP excl. | RRP incl. |
|---------------|------------------------------------|-----------|-----------|
| 000-10138-001 | Broadband Sounder Module (BSM-2) | 15570.50 | 19463.13 |
| 000-0132-05 | Broadband Sounder Module (BSM-1) - | 5207.55 | 6509.44 |

Accessories

| Part Number | Description | RRP excl. | RRP incl. |
|---------------|---|-----------|-----------|
| 000-10575-001 | R509LH The new Broadband transducers represent the next generation of technology that will allow fishermen to unlock new secrets in fishfinding. These transducers are designed for use specifically with the BSM-2 high performance sounder module | 32027.55 | 40034.44 |
| 000-10574-001 | R265LH The new Broadband transducers represent the next generation of technology that will allow fishermen to unlock new secrets in fishfinding. These transducers are designed for use specifically with the BSM-2 high performance sounder module | 12657.55 | 15821.94 |
| 000-0136-02 | P319 Plastic Low Profile 600 W Thru Hull 50/200Khz Depth/Temp - blue 7 pin connector | 1259.05 | 1573.81 |
| 000-0136-03 | P79 Plastic 600 W In-Hull 50/200 KHz Depth Only - blue 7 pin connector | 931.25 | 1164.06 |
| 000-00021-001 | B60 Bronze 600 W Thru Hull 50/200 KHz Depth/Temp (20° tilt) - blue 7 pin connector | 2153.05 | 2691.31 |
| 000-0136-05 | B744V Bronze 600 W Thru Hull 50/200 KHz Depth/Temp/Speed w/HS Fairing Block - blue 7 pin connector | 2972.55 | 3715.69 |
| 000-0136-06 | B164 Bronze Low Profile Thru Hull 1kW 50/200 KHz Depth/Temp (12° tilt) - blue 7 pin connector | 6325.05 | 7906.31 |
| 000-0136-00 | B258 Bronze 1 kW Thru Hull 50/200 KHz Depth/Temp w/HS Fairing Block - blue 7 pin connector | 5058.55 | 6323.19 |
| 000-0106-82 | B260 Bronze 1 kW Thru Hull 50/200Khz Depth/Temp w/HS Fairing Block - blue 7 pin connector | 8560.05 | 10700.06 |
| 000-0106-91 | M260 Plastic 1 kW In-Hull 50/200Khz Depth Only Tank Kit - blue 7 pin connector | 7442.55 | 9303.19 |
| 000-0099-94 | XT-20BL 20ft blue 7 pin transducer extension cable | 303.96 | 379.95 |
| 000-10046-001 | Adapter cable, 7 pin BLUE to bare wires | 141.55 | 176.94 |
| 000-10377-001 | TA-BSM2 Transducer Adapter Cable - 7 PIN BLUE to BARE WIRES BSM-2 | 141.55 | 176.94 |

Price Book

Spare Parts

| Part Number | Description | RRP excl. | RRP incl. |
|---------------|--|-----------|-----------|
| 000-10411-001 |  Image Pending BSM-2 Power cable 2 m (6.5 ft) | 245.85 | 307.31 |
| 000-10412-001 |  Image Pending BSM-2 Gland kit and spare hardware mount | 141.55 | 176.94 |
| 000-10414-001 |  Image Pending BSM-2 Terminal block | 216.05 | 270.06 |

Price Book

StructureScan™

Main Products

| Part Number | Description | RRP excl. | RRP incl. |
|---------------|--|-----------|-----------|
| 000-10801-001 |  LSS HD - StructureScan™ Sonar Imaging module only | 3717.55 | 4646.94 |
| 000-10800-001 |  LSS HD - StructureScan™ Sonar Imaging module with transducer and 6 m (20 ft) cable | 4835.05 | 6043.81 |

Accessories

| Part Number | Description | RRP excl. | RRP incl. |
|---------------|---|-----------|-----------|
| 000-10802-001 |  StructureScan™ HD Skimmer Transom Mount Transducer | 2227.55 | 2784.44 |
| 000-10946-001 |  Bronze StructureScan™ HD Sonar thru-hull transducer. (Single) | 5952.55 | 7440.69 |
| 000-10947-001 |  Bronze StructureScan™ HD Sonar thru-hull transducer. (pair) | 9677.55 | 12096.94 |
| 000-10948-001 |  Bronze StructureScan™ HD Sonar thru-hull transducer. (Port) | 5952.55 | 7440.69 |
| 000-10949-001 |  Bronze StructureScan™ HD Sonar thru-hull transducer. (Stbd.) | 5952.55 | 7440.69 |

Spare Parts

| Part Number | Description | RRP excl. | RRP incl. |
|---------------|--|-----------|-----------|
| 000-10802-001 |  StructureScan™ HD Skimmer Transom Mount Transducer | 2227.55 | 2784.44 |
| 000-0127-29 |  Ethernet cable yellow 5 Pin 4.5 m (15 ft) | 349.78 | 437.22 |

Price Book

Transducers

Main Products

| Part Number | Description | RRP excl. | RRP incl. |
|---------------|---|-----------|-----------|
| 000-10575-001 |  R509LH The new Broadband transducers represent the next generation of technology that will allow fishermen to unlock new secrets in fishfinding. These transducers are designed for use specifically with the BSM-2 high performance sounder module | 32027.55 | 40034.44 |
| 000-10574-001 |  R265LH The new Broadband transducers represent the next generation of technology that will allow fishermen to unlock new secrets in fishfinding. These transducers are designed for use specifically with the BSM-2 high performance sounder module | 12657.55 | 15821.94 |
| 000-0136-02 |  P319 Plastic Low Profile 600 W Thru Hull 50/200Khz Depth/Temp - blue 7 pin 1259.05 connector | | 1573.81 |
| 000-0136-03 |  P79 Plastic 600 W In-Hull 50/200 KHz Depth Only - blue 7 pin connector | 931.25 | 1164.06 |
| 000-00021-001 |  B60 Bronze 600 W Thru Hull 50/200 KHz Depth/Temp (20° tilt) - blue 7 pin connector | 2153.05 | 2691.31 |
| 000-0136-05 |  B744V Bronze 600 W Thru Hull 50/200 KHz Depth/Temp/Speed w/HS Fairing Block - blue 7 pin connector | 2972.55 | 3715.69 |
| 000-0136-06 |  B164 Bronze Low Profile Thru Hull 1kW 50/200 KHz Depth/Temp (12° tilt) - blue 7 pin connector | 6325.05 | 7906.31 |
| 000-10247-001 |  B164 Bronze low profile thru-hull 1 kW 50/200 kHz with 22/20° 6/6° array beamwidths and 20° tilt Depth/Temp -12m | 6697.55 | 8371.94 |
| 000-0136-00 |  B258 Bronze 1 kW Thru Hull 50/200 KHz Depth/Temp w/HS Fairing Block - blue 7 pin connector | 5058.55 | 6323.19 |
| 000-0106-82 |  B260 Bronze 1 kW Thru Hull 50/200Khz Depth/Temp w/HS Fairing Block - blue 7 pin connector | 8560.05 | 10700.06 |
| 000-0106-91 |  M260 Plastic 1 kW In-Hull 50/200Khz Depth Only Tank Kit - blue 7 pin connector | 7442.55 | 9303.19 |
| 000-0099-94 |  XT-20BL 20ft blue 7 pin transducer extension cable | 303.96 | 379.95 |
| 000-10046-001 |  Adapter cable, 7 pin BLUE to bare wires | 141.55 | 176.94 |
| 000-10802-001 |  StructureScan™ HD Skimmer Transom Mount Transducer | 2227.55 | 2784.44 |
| 000-10946-001 |  Bronze StructureScan™ HD Sonar thru-hull transducer. (Single) | 5952.55 | 7440.69 |
| 000-10947-001 |  Bronze StructureScan™ HD Sonar thru-hull transducer. (pair) | 9677.55 | 12096.94 |

Price Book

| Part Number | Description | RRP excl. | RRP incl. |
|---|--|-----------|-----------|
| <hr/> | | | |
|  | | | |
| Accessories | | | |
| Part Number | Description | RRP excl. | RRP incl. |
| 000-10948-001 | Bronze StructureScan™ HD Sonar thru-hull transducer. (Port) | 5952.55 | 7440.69 |
| 000-10949-001 | Bronze StructureScan™ HD Sonar thru-hull transducer. (Stbd.) | 5952.55 | 7440.69 |
| <hr/> | | | |
| Spare Parts | | | |
| Part Number | Description | RRP excl. | RRP incl. |

Price Book

GPS System

Main Products

| Part Number | Description | RRP excl. | RRP incl. |
|--------------|--|-----------|-----------|
| 510-01-00 |  <p>MX510 CDU with MX521A GPS Antenna (add cable) Parts included: 2 port MX510 CDU Mount Bracket kit Power/NMEA 12-pins 3m Cable MX521A GPS Antenna Operator/Installation manual Quick Reference Guide</p> | 16043.87 | 20054.84 |
| 510-000-0000 |  <p>MX510 CDU Parts included: 2 port MX510 CDU Mount Bracket kit Power/NMEA 12-pins 3m Cable Operator/Installation manual Quick Reference Guide</p> | 9503.15 | 11878.93 |
| 510-03-00 |  <p>MX510 CDU with MX521A DGPS Antenna (add cable) Parts included: 2 port MX510 CDU Mount Bracket Kit Power/NMEA 12-pins 3m Cable MX521A DGPS Antenna Operator/Installation manual Quick Reference Guide</p> | 19358.30 | 24197.88 |
| 512-000-0000 |  <p>MX512 CDU (also order JB P/N 512-100-1001) Parts included: 9 port MX512 CDU Mount Bracket kit Power/Date 3m Cable Operator/Installation manual Quick Reference Guide</p> | 12993.47 | 16241.84 |
| 512-01-JB |  <p>MX512 CDU with MX521A GPS Antenna and JB (add cable) Parts included: 9 port MX512 CDU, Mount Bracket kit, Junction Box, Data Cable Assembly (44 Pins, 3M) Auxiliary Cable Assembly (8 Pins, 3M) Smart Antenna Cable Assembly (10 Pins, 3M) Power/Data Cable</p> | 22291.37 | 27864.21 |
| 512-03-JB |  <p>MX512 CDU with MX521A GPS Antenna & JB Parts included: 9 port MX512 CDU, Mount Bracket kit, Junction Box, Data Cable Assembly (44 Pins, 3M) Auxiliary Cable Assembly (8 Pins, 3M) Smart Antenna Cable Assembly (10 Pins, 3M) Power/Data Cable</p> | 25723.06 | 32153.83 |

Accessories

| Part Number | Description | RRP excl. | RRP incl. |
|---------------|--|-----------|-----------|
| 512-100-1001 |  <p>MX512 Junction Box Parts included: Junction Box Data Cable Assembly (44 Pins, 3M) Auxiliary Cable Assembly (8 Pins, 3M) Smart Antenna Cable Assembly (10 Pins, 3M)</p> | 5162.18 | 6452.72 |
| 500-100-1002 |  <p>MX500/MX510 Junction Box Parts included: Junction Box Data Cable Assembly (12 Pins, 3M) Auxiliary Cable Assembly (8 Pins, 3M) Smart Antenna Cable Assembly (10 Pins, 3M)</p> | 2111.78 | 2639.72 |
| 000-00042-001 |  <p>MX5xx Multi-Hz Software Option</p> | 2493.14 | 3116.43 |
| 500-10894 |  <p>MX5XX Software Options External Alarm</p> | 2375.81 | 2969.76 |
| 500-10891 |  <p>MX5XX SW option for User Grid (Scientific Package)</p> | 2493.14 | 3116.43 |
| 500-100-4005 |  <p>LAN CROSSOVER CABLE(3M, RJ45 C)</p> | 416.53 | 520.66 |
| 500-100-1008 |  <p>3M 10-pins double ended cable</p> | 516.21 | 645.26 |
| 500-100-1006 |  <p>20M 10-pins double ended cable</p> | 1114.59 | 1393.24 |
| 500-100-1007 |  <p>40M 10-pins double ended cable</p> | 1924.11 | 2405.14 |

Price Book

| Part Number | Description | RRP excl. | RRP incl. |
|----------------|--------------------------------------|-----------|-----------|
| 500-100-1009 | 60M 10-pins double ended cable | 2639.76 | 3299.70 |
| 3508-102-70150 | 3M 10-pins single ended cable | 340.24 | 425.30 |
| 3508-102-70170 | 20M 10-pins single ended cable | 932.74 | 1165.93 |
| 3508-102-70180 | 40M 10-pins single ended cable | 1402.02 | 1752.52 |
| 3508-102-70640 | 60M 10-pins single ended cable | 2246.70 | 2808.37 |
| 3508-102-70185 | 80M 10-pins single ended cable | 2921.37 | 3651.71 |
| 3508-102-70190 | 90M 10-pins single ended cable | 3367.18 | 4208.97 |
| 500-10788 | BRIM Software License MX 510/512 CDU | 4956.86 | 6196.07 |

Spare Parts

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|-------------|-----------|-----------|
| | | | |

Price Book

Antennas

Main Products

| Part Number | Description | RRP excl. | RRP incl. |
|----------------|--|-----------|-----------|
| 9525-200-80110 |  MX421B-10 DGPS Smart Antenna 1 Hz | 12260.24 | 15325.30 |
| 9525-200-78610 |  MX421B-10 DGPS Smart Antenna 5 Hz | 17745.08 | 22181.35 |
| 727050 |  MX521A GPS Smart Antenna | 6863.39 | 8579.23 |
| 727051 |  MX521A DGPS Smart Antenna | 11673.63 | 14592.04 |
| 727061 |  MX525A DGPS Smart Antenna Sensor | 8417.90 | 10522.38 |
| 9525-200-85000 |  MX525A DGPS Smart Sensor with MXB5 Antenna | 11057.66 | 13822.08 |
| 000-10747-001 |  MX575C DGPS COMPASS WITH 15M CABLE | 18185.00 | 22731.25 |
| 721755 |  MXB5 DGPS Antenna | 3167.74 | 3959.68 |

Accessories

| Part Number | Description | RRP excl. | RRP incl. |
|----------------|--|-----------|-----------|
| 000-10939-001 |  HS80/MX575C 15M POWER/DATA CABLE KIT | 2053.15 | 2566.43 |
| 000-10940-001 |  HS80/MX575C 30M POWER/DATA CABLE KIT | 3812.98 | 4766.23 |
| 500-100-1008 |  3M 10-pins double ended cable | 516.21 | 645.26 |
| 500-100-1006 |  20M 10-pins double ended cable | 1114.59 | 1393.24 |
| 500-100-1007 |  40M 10-pins double ended cable | 1924.11 | 2405.14 |
| 500-100-1009 |  60M 10-pins double ended cable | 2639.76 | 3299.70 |
| 3508-102-70150 |  3M 10-pins single ended cable | 340.24 | 425.30 |
| 3508-102-70170 |  20M 10-pins single ended cable | 932.74 | 1165.93 |
| 3508-102-70180 |  40M 10-pins single ended cable | 1402.02 | 1752.52 |
| 3508-102-70640 |  60M 10-pins single ended cable | 2246.70 | 2808.37 |
| 3508-102-70185 |  80M 10-pins single ended cable | 2921.37 | 3651.71 |
| 3508-102-70190 |  90M 10-pins single ended cable | 3367.18 | 4208.97 |

Spare Parts

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|-------------|-----------|-----------|
| | | | |

Price Book

Class A

Main Products

| Part Number | Description | RRP excl. | RRP incl. |
|---------------|---|-----------|-----------|
| 000-10037-001 |  MX535A AIS TRANSPONDER Parts included: MX535A AIS Transponder MX 535 Mounting Kit MX 535 AIS Interface Cable MX 535 GPS/VHF Cable MX512 CDU with 12-PIN Power Cable MX512 Junction box without 12- PIN Power Cable GPS Antenna High Gain no cable MX535 Manual Software License for MKD | 24109.84 | 30137.30 |
| 000-10221-001 |  MX535A MKD System (MX535A AIS+MX512 CDU) Parts included: MX535A AIS Transponder MX 535 Mounting Kit MX 535 AIS Interface Cable MX 535 GPS/VHF Cable MX512 CDU with 12-PIN Power Cable MX512 Junction box without 12- PIN Power Cable GPS Antenna High Gain no cable MX535 Manual Software License for MKD | 40388.39 | 50485.48 |
| 000-10222-001 |  NAV SYS (MX535A AIS+MX512 CDU+MX521A DGPS) Parts included: MX535A AIS Transponder MX 535 Mounting Kit MX 535 AIS Interface Cable MX 535 GPS/VHF Cable MX512 CDU with 12-PIN Power cable MX512 Junction Box without 12- PIN Power Cable GPS Antenna High Gain No Cable MX535 Manual MX521A DGPS antenna AIS License | 47838.39 | 59797.98 |
| 000-10223-001 |  MX535A AIS UPGRD TO MX512 OR MX420/8 NAV Parts included: MX535A AIS Transponder MX 535 Mounting Kit MX 535 AIS Interface Cable MX 535 GPS/VHF Cable GPS Antenna High Gain No Cable MX535 Manual AIS License | 27823.14 | 34778.93 |
| 000-10232-001 |  AIS Software License for MX 512 CDU | 2522.42 | 3153.03 |

Accessories

| Part Number | Description | RRP excl. | RRP incl. |
|----------------|--|-----------|-----------|
| 3508-102-70820 |  MX 535 MOUNTING KIT | 402.30 | 502.88 |
| 3508-102-70840 |  MX 535 AIS INTERFACE CABLE | 797.15 | 996.44 |
| 3508-102-70850 |  MX 535 GPS/VHF CABLE | 1914.65 | 2393.31 |

Spare Parts

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|-------------|-----------|-----------|
| | | | |

Price Book

Class B

Main Products

| Part Number | Description | RRP excl. | RRP incl. |
|---------------|--|-----------|-----------|
| 000-10980-001 | NAIS-400 S system, Class B-AIS w/GPS Antenna | 5952.55 | 7440.69 |
| 000-10982-001 | NSPL-400 VHF Antenna Splitter | 1706.05 | 2132.56 |
| 000-0135-00 | AI50 AIS Class B transponder | 8187.55 | 10234.44 |

Accessories

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|--|-----------|-----------|
| AA000355 | Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB | 476.80 | 596.00 |
| AA000358 | Navico 1770 VHF antenna, 1 m (3 ft) Ultraglass, quickfit @ 3dB | 260.75 | 325.94 |
| AA000223 | Navico 1810 VHF antenna mount, nylon heavy duty, quickfit with 5 m (16 ft) cable | 230.95 | 288.69 |
| AA000224 | Navico 1815 VHF antenna mount, stainless steel, quickfit with 5 m (16 ft) cable | 447.00 | 558.75 |
| AA000352 | Navico 1720 VHF antenna, 1.1 m (3 ft) stainless masthead whip with bracket @ 3dB | 305.45 | 381.81 |

Spare Parts

| Part Number | Description | RRP excl. | RRP incl. |
|---------------|--|-----------|-----------|
| 000-0119-79 | N2K-T-RD - NMEA 2000® T-connector for connection of an additional network device | 139.91 | 174.89 |
| 000-0127-53 | N2KEXT-6RD - 1.82 m (6-ft) NMEA 2000® cable for backbone extension or drop cable to connect an additional network device | 311.56 | 389.45 |
| 003-7679-00 | AI50 GPS Antenna | 2227.55 | 2784.44 |
| 003-6311-00 | Power Cable for AI50 | 141.55 | 176.94 |
| 000-10400-001 | NAIS-GPS Antenna | 961.05 | 1201.31 |

Price Book

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|---|-----------|-----------|
| |  | | |

Price Book

IS20

Main Products

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|---|-----------|-----------|
| 22098438 | Wind System Package  | 5729.05 | 7161.31 |
| 22098529 | Sailboat Wind/Combi Depth & Speed Package  | 8753.75 | 10942.19 |
| 22095582 | IS20 Graphic instrument with 0.3 m (1 ft) SimNet cable  | 2972.55 | 3715.69 |
| 22098420 | IS20 Combi instrument (speed, depth and temp) with 0.3 m (1 ft) SimNet cable  | 2674.55 | 3343.19 |
| 22095558 | IS20 Wind instrument with 0.3 m (1 ft) SimNet cable  | 3270.55 | 4088.19 |
| 22095921 | IS20 Tack instrument with 0.3 m (1 ft) SimNet cable  | 2823.55 | 3529.44 |
| 22095939 | IS20 Compass instrument with 0.3 m (1 ft) SimNet cable  | 2972.55 | 3715.69 |
| 22095996 | IS20 Rudder instrument with 0.3 m (1 ft) SimNet cable  | 2972.55 | 3715.69 |

Accessories

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|---|-----------|-----------|
| 22098420 | IS20 Combi instrument (speed, depth and temp) with 0.3 m (1 ft) SimNet cable  | 2674.55 | 3343.19 |
| 22095558 | IS20 Wind instrument with 0.3 m (1 ft) SimNet cable  | 3270.55 | 4088.19 |
| 24005829 | SimNet cable 0.3 m (1 ft)  | 178.80 | 223.50 |
| 24006405 | 20 m (66 ft) SimNet Wind vane cable  | 447.00 | 558.75 |
| 24006421 | 35 m (115 ft) SimNet Wind Vane cable  | 670.50 | 838.13 |
| 24005902 | SimNet power cable with terminator 2 m (6.6 ft) -red tip  | 193.70 | 242.13 |
| 24005860 | SimNet 3 Prong Multi-joiner | 171.35 | 214.19 |

Price Book

| Part Number | Description | RRP excl. | RRP incl. | | |
|--------------------|---|---|--|---------|---------|
| 24006413 |  | Micro-C female to SimNet 4 m (13 ft) cable that connects a NMEA 2000® product to a SimNet backbone | 298.00 | 372.50 | |
| 22096515 |  | SIMRAD Image Pending | AP24/IS20 Weather Cover | 141.55 | 176.94 |
| 22098552 |  | DST800 active D/S/T TH plastic 235 kHz transducer with 2 m (7 ft) cable and Micro C connector to SimNet | 2153.05 | 2691.31 | |
| 22098560 |  | DT800-12 deg active D/T TH plastic 235 kHz transducer w/s/t pigtail with 2 m (7 ft) cable and Micro C connector to SimNet | 2227.55 | 2784.44 | |
| 22098586 |  | ST800 passive S/T sensor TH plastic with 1 m (7 ft) Pigtail (add speed to DT800) | 737.55 | 921.94 | |
| 22098594 |  | Through-hull Stainless steel skin fitting with Sea-valve (for use with DST800, DT800, ST800) | 1110.05 | 1387.56 | |
| 22098495 |  | SIMRAD Image Pending | 2.5 m (8 ft) NMEA Cable for IS20 | 216.05 | 270.06 |
| 000-10637-001 |  | SIMRAD Image Pending | Wind Sensor for IS20: without cable | 2600.05 | 3250.06 |
| Spare Parts | | | | | |
| Part Number | Description | RRP excl. | RRP incl. | | |
| 000-10568-001 |  | SIMRAD Image Pending | Accessory plug assembly for DST800 | 149.00 | 186.25 |
| 000-11014-001 |  | SIMRAD Image Pending | Yellow O-ring for D/DT/ DST800 W/ valve. | 22.35 | 27.94 |

Price Book

IS70

Main Products

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|---|-----------|-----------|
| 27107572 |  IS70 ROT indicator RT70-30. Rate of turn indicator with 30-degree scale | 4283.75 | 5354.69 |
| 27107580 |  IS70 ROT indicator RT70-120. Rate of turn indicator with 120-degree scale | 4283.75 | 5354.69 |
| 27107598 |  IS70 ROT indicator RT70-300. Rate of turn indicator with 300-degree scale | 4283.75 | 5354.69 |
| 27107671 |  IS70 RPM indicator RPM70-3. RPM indicator with 0-3000 RPM scale | 4283.75 | 5354.69 |
| 27107689 |  IS70 RPM indicator RPM70-6. RPM indicator with 0-6000 RPM scale | 4283.75 | 5354.69 |
| 27107713 |  IS70 Speed indicator SP70-25. Speed indicator with 0-25 kts scale | 4283.75 | 5354.69 |
| 27107721 |  IS70 Speed indicator SP70-50. Speed indicator with 0-50 kts scale | 4283.75 | 5354.69 |

Accessories

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|-------------|-----------|-----------|
| Spare Parts | | | |
| Part Number | Description | RRP excl. | RRP incl. |

Price Book

IS80

Main Products

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|---|-----------|-----------|
| 27107549 |  IS80 ROT indicator RT81-30. Rate of turn indicator with 30-degree scale | 5215.00 | 6518.75 |
| 27107556 |  IS80 ROT indicator RT81-120. Rate of turn indicator with 120-degree scale | 5215.00 | 6518.75 |
| 27107564 |  IS80 ROT indicator RT81-300. Rate of turn indicator with 300-degree scale | 5215.00 | 6518.75 |
| 27107655 |  IS80 RPM indicator RPM80-3. RPM indicator with 0-3000 RPM scale | 5215.00 | 6518.75 |
| 27107663 |  IS80 RPM indicator RPM80-6. RPM indicator with 0-6000 RPM scale | 5215.00 | 6518.75 |
| 27107697 |  IS80 Speed indicator SP80-25. Speed indicator with 0-25 kts scale | 5215.00 | 6518.75 |
| 27107705 |  IS80 Speed indicator SP80-50. Speed indicator with 0-50 kts scale | 5215.00 | 6518.75 |

Accessories

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|---|-----------|-----------|
| 27107754 |  IS80 Outdoor mounting kit | 566.20 | 707.75 |

Spare Parts

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|-------------|-----------|-----------|
| | | | |

Price Book

Rudder

Main Products

| Part Number | Description | RRP excl. | RRP incl. |
|---------------|---|-----------|-----------|
| 27107630 |  IS70 Rudder indicator RI70-45. Rudder indicator with 45-degree scale. IEC61162-3. Analogue input +/-10V. Supply 12-24 VDC. | 4283.75 | 5354.69 |
| 27107648 |  IS70 Rudder indicator RI70-90. Rudder indicator with 90-degree scale. IEC61162-3. Analog input +/-10V. Supply 12-24 VDC. | 4283.75 | 5354.69 |
| 27107606 |  IS80 Rudder indicator RI80-45. Rudder indicator with 45-degree scale. IEC61162-3. Analog input +/-10V. Supply 12-24 VDC. | 5215.00 | 6518.75 |
| 27107614 |  IS80 Rudder Indicator RI80-90. Rudder indicator with 90-degree scale. IEC61162-3. Analog input +/-10V. Supply 12-24 VDC. | 5215.00 | 6518.75 |
| 22060966 |  Panorama Mk2 (45°-0-45°). 3-way indicator. For overhead mounting. Adjustable dial light. 24 V. "U" version for voltage input. Works with RF14XU only | 14900.00 | 18625.00 |
| 27107622 |  SIMRAD Image Pending Panorama Rudder Indicator RI85-45 | 16427.25 | 20534.06 |
| 22085146 |  SIMRAD Image Pending RI35MK2 Rudder Angle Indicator; Designed for indoor/outdoor mounting. Operates with RF300, NMEA 0183, current 0.1-1.1 mA, or RF45X feedback units. Maximum of four units if operated on frequency; two units if operating on current | 6049.40 | 7561.75 |
| 000-10125-001 |  SIMRAD Image Pending Rudder Indicator Pack (RI70-45, RF25) | 6429.35 | 8036.69 |

Accessories

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|---|-----------|-----------|
| 22014286 |  RF25 Rudder Feedback Unit: With transmission link and 5.5 m (18 ft) SimNet cable. | 1966.80 | 2458.50 |
| 20193744 |  RF300 Rudder Feedback: With transmission link and 10 m (33 ft) cable | 1817.80 | 2272.25 |
| 22011415 |  RF45X Rugged rudder Feedback Unit; with transmission link and 2 m cable and Junction box | 3933.60 | 4917.00 |
| 22506950 |  SIMRAD Image Pending RF14XU Heavy Duty Feedback Unit: Long life feedback unit with transmission linkage. Separate output for rudder angle indicators. Double set of limit switches. Requires 24 V DC supply voltage | 12069.00 | 15086.25 |
| 27107754 |  SIMRAD Image Pending IS80 Outdoor mounting kit | 566.20 | 707.75 |

Spare Parts

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|-------------|-----------|-----------|
| | | | |

Price Book

Gyro

Main Products

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|---|-----------|-----------|
| 27101732 |  AR81 Single scale Bearing Repeater NMEA. To be mounted in BB holder, MB18483.45 Holder or BH stand. IMO A424 | 23104.31 | |
| 27101740 |  AR83 Dual scale Bearing Repeater NMEA. To be mounted in BB holder, MB Holder or BH stand. IMO A424 | 26402.80 | 33003.50 |
| 27102888 |  Azimuth Circle - Used on bearing repeater to take bearings on celestial bodies and surface targets etc | 8686.70 | 10858.38 |
| 27102052 |  BB Repeater Holder - Gimbaled bracket for indoor mounting of bearing repeater | 7807.60 | 9759.50 |
| 27102078 |  BH Repeater Stand - Binnacle for outdoor mounting of bearing repeater | 19593.50 | 24491.88 |
| 27103340 |  AR78 Analogue steering repeater with 120 mm dial, NMEA 0183 input. Panel mount. Complies with EMO A424(x). | 14959.60 | 18699.50 |
| 27103324 |  AR80 Analogue steering repeater with dual 168 mm dial, step motor drive with buffer electronics, NMEA 0183 input. Panel mount. Complies with IMO A424(x). | 19951.10 | 24938.88 |
| 27103365 |  DR76 Digital Repeater with 4-Digit LCD display and LED turn indicator. NMEA14959.60 0183 input. Panel mount. | 14959.60 | 18699.50 |
| 27107523 |  HR80 Heading repeater | 11547.50 | 14434.38 |

Accessories

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|-------------|-----------|-----------|
| Spare Parts | | | |

Price Book

Other

Main Products

| Part Number | Description | RRP excl. | RRP incl. |
|---------------|--|-----------|-----------|
| 27103571 |  AR80 Optional mounting bracket | 1177.10 | 1471.38 |
| 27107531 |  WI80 Wind indicator | 11547.50 | 14434.38 |
| 000-10163-001 |  Wind SensorWS80 Ultrasonic Wind Sensor. Providing wind data in an NMEA0183 data format via RS485 (RS422) data interface. Built to IP66 Rating. | 27565.00 | 34456.25 |

Accessories

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|-------------|-----------|-----------|
| Spare Parts | | | |

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|-------------|-----------|-----------|
| | | | |

Price Book

RS25/RS10

Main Products

| Part Number | Description | RRP excl. | RRP incl. |
|---------------|--|-----------|-----------|
| 000-10214-001 |  RS25 VHF system (with alpha fist mic). EU, APAC | 2196.11 | 2745.14 |
| 000-10216-001 |  AHK05E Wireless handset. EU, APAC | 1132.40 | 1415.50 |
| 000-10212-001 |  RS10 VHF system (with fist mic). EU, APAC | 1436.21 | 1795.26 |

Accessories

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|--|-----------|-----------|
| AA000355 |  Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB | 476.80 | 596.00 |
| AA000358 |  Navico 1770 VHF antenna, 1 m (3 ft) Ultraglass, quickfit @ 3dB | 260.75 | 325.94 |
| AA000223 |  Navico 1810 VHF antenna mount, nylon heavy duty, quickfit with 5 m (16 ft) cable | 230.95 | 288.69 |
| AA000224 |  Navico 1815 VHF antenna mount, stainless steel, quickfit with 5 m (16 ft) cable | 447.00 | 558.75 |
| AA000352 |  Navico 1720 VHF antenna, 1.1 m (3 ft) stainless masthead whip with bracket @ 3dB | 305.45 | 381.81 |
| AA000400 |  VHF extension cable 5 m (16 ft) | 186.25 | 232.81 |
| AA000401 |  VHF mast cable 30 m (98 ft) for 1720 antenna | 447.00 | 558.75 |

Spare Parts

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|-------------|-----------|-----------|
| | | | |

Price Book

RS12/RS35

Main Products

| Part Number | Description | RRP excl. | RRP incl. |
|--------------------|-------------|-----------|-----------|
| Accessories | | | |
| Part Number | Description | RRP excl. | RRP incl. |
| Spare Parts | | | |
| Part Number | Description | RRP excl. | RRP incl. |

Price Book

GMDSS

Main Products

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|--|-----------|-----------|
| AX50:MG | AXIS 50 Multifunction waterproof GMDSS VHF (No battery pack or charger supplied) (International or US) | 3278.00 | 4097.50 |



Accessories

| Part Number | Description | RRP excl. | RRP incl. | |
|-------------|--|--|-----------|---------|
| MAR50:E | Mains adaptor RC50 (Europe) 230VAC to 12VDC | 305.45 | 381.81 | |
| MAR50:U | Mains adaptor RC50 (UK) 230VAC to 12VDC | 305.45 | 381.81 | |
| MAR50:A | Mains adaptor RC50 (US) 115VAC to 12VDC | 447.00 | 558.75 | |
| MAT50:A | Mains adaptor TC50 (US) 115VAC to 12VDC | 149.00 | 186.25 | |
| LTB1:Y | <small>SIMRAD</small> Image Pending | Non rechargeable long life Lithium battery for Axis150/250 | 819.50 | 1024.38 |
| LTB3:Y | <small>SIMRAD</small> Image Pending | Non-rechargeable Long Life Lithium battery for AX50 | 610.90 | 763.63 |
| RC50 |  | Rapid charger AX50/HT50 (1.5 hours) | 499.15 | 623.94 |
| NCB850 | <small>SIMRAD</small> Image Pending | Rechargeable 850mAh NiMh battery pack for Axis 150/250 | 826.95 | 1033.69 |
| BMT2 | <small>SIMRAD</small> Image Pending | Spare mounting clip for AXIS 30 | 126.65 | 158.31 |
| TSTB1 | <small>SIMRAD</small> Image Pending | Test battery for AXIS 30 | 312.90 | 391.13 |

Spare Parts

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|-------------|-----------|-----------|
| | | | |

Price Book

EPIRB

Main Products

| Part Number | Description | RRP excl. | RRP incl. |
|---------------|---|-----------|-----------|
| 000-10724-001 |  EP70 Auto: 406MHz EPIRB with automatic float free bracket | 5140.50 | 6425.63 |
| 000-10725-001 |  EP70 Manual: 406MHz Manually Activated EPIRB | 4023.00 | 5028.75 |
| 000-10726-001 |  EG70 Auto: 406MHz GPS EPIRB with automatic float free bracket | 5885.50 | 7356.88 |
| 000-10727-001 |  EG70 Manual: 406MHz GPS Manually Activated EPIRB | 4917.00 | 6146.25 |

Accessories

| Part Number | Description | RRP excl. | RRP incl. |
|---------------|---|-----------|-----------|
| 000-10734-001 |  FB70 FLOAT FREE EP70/EG70 BRACKET | 1683.70 | 2104.63 |
| 000-10735-001 |  MB70 MANUAL EP70/EG70 BRACKET | 245.85 | 307.31 |
| 000-10742-001 |  Programming cable for 70 Series EPIRB's | 6056.85 | 7571.06 |
| 000-10743-001 |  TRON UNIDEC EPIRB TESTER | 13782.50 | 17228.13 |
| 000-10736-001 |  EP70/EG70 5-YEAR BATTERY KIT | 1877.40 | 2346.75 |
| 000-10737-001 |  HRU-KIT (HYDROSTATIC RELEASE) EP70/EG70 | 596.00 | 745.00 |
| 000-10741-001 |  USERS MANUAL EP70/EG70 ENGLISH | 186.25 | 232.81 |

Spare Parts

| Part Number | Description | RRP excl. | RRP incl. |
|---------------|---|-----------|-----------|
| 000-10736-001 |  EP70/EG70 5-YEAR BATTERY KIT | 1877.40 | 2346.75 |
| 000-10737-001 |  HRU-KIT (HYDROSTATIC RELEASE) EP70/EG70 | 596.00 | 745.00 |
| 000-10741-001 |  USERS MANUAL EP70/EG70 ENGLISH | 186.25 | 232.81 |

Price Book

SART

Main Products

| Part Number | Description | RRP excl. | RRP incl. |
|---------------|---|-----------|-----------|
| 000-10728-001 | SA70 GMDSS 9GHz Search and rescue radar transponder | 5215.00 | 6518.75 |
| |  | | |

| | | | | |
|---|--------------------------------|---|---------|---------|
| 000-10729-001 | SIMRAD Image Pending | SA70 AIS-SART GMDSS SEARCH AND RESCUE TRANSMITTER | 4768.00 | 5960.00 |
| Designed for use in search and rescue operations, Simrad's SA70 AIS SART will pinpoint the location of a vessel in distress and give the exact location to nearby ships, SAR vessels and aircrafts. | | | | |

Accessories

| Part Number | Description | RRP excl. | RRP incl. | |
|---------------|---|--|-----------|---------|
| 000-10731-001 |  | SA70 Life Boat Bracket | 759.90 | 949.88 |
| 000-10732-001 |  | SA70 LIFE RAFT POLE | 640.70 | 800.88 |
| 000-10730-001 |  | SA70 Wall Bracket | 29.80 | 37.25 |
| 000-10738-001 | SIMRAD Image Pending | SA70 User Manual | 186.25 | 232.81 |
| 000-10739-001 | SIMRAD Image Pending | TECHNICAL MANUAL SA70 RADAR SART ENGLISH | 186.25 | 232.81 |
| 000-10733-001 | SIMRAD Image Pending | SA70 5 YEARS BATTERY KIT Includes: -Battery unit -O-ring -Label, battery -Label, battery seal | 1102.60 | 1378.25 |
| 000-10740-001 | SIMRAD Image Pending | USERS MANUAL SA70 AIS SART ENGLISH | 186.25 | 232.81 |

Spare Parts

| Part Number | Description | RRP excl. | RRP incl. | |
|---------------|--------------------------------|------------------------------------|-----------|--------|
| 000-10740-001 | SIMRAD Image Pending | USERS MANUAL SA70 AIS SART ENGLISH | 186.25 | 232.81 |

Price Book

SimNet

Main Products

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|---|-----------|-----------|
| 24006694 | SimNet heading sensor input. AT10HD, NMEA0183 to SimNET converter. Fast heading information only. | 677.95 | 847.44 |
| SIMKIT-1 | SimNet Starter Kit-1 | 774.80 | 968.50 |
| SIMKIT-2 | SimNet Starter Kit-2 with one AT10 NMEA 0183 interface | 1557.05 | 1946.31 |
| 24005829 | SimNet cable 0.3 m (1 ft) | 178.80 | 223.50 |
| 24005837 | SimNet cable 2 m (6.6 ft) | 230.95 | 288.69 |
| 24005845 | SimNet cable 5 m (16 ft) | 268.20 | 335.25 |
| 24005852 | SimNet cable 10 m (33 ft) note: for simNet backbone only | 335.25 | 419.06 |
| 24006405 | 20 m (66 ft) SimNet Wind vane cable | 447.00 | 558.75 |
| 24006421 | 35 m (115 ft) SimNet Wind Vane cable | 670.50 | 838.13 |
| 24005910 | SimNet power cable without terminator 2 m (6.6 ft) -yellow tip | 193.70 | 242.13 |
| 24005902 | SimNet power cable with terminator 2 m (6.6 ft) -red tip | 193.70 | 242.13 |
| 24005860 | SimNet 3 Prong Multi-joiner | 171.35 | 214.19 |
| 24006298 | SimNet 7 Prong Multi-joiner | 335.25 | 419.06 |
| 24005894 | SimNet termination plug | 81.95 | 102.44 |
| 44172260 | SimNet joiner yellow without terminator | 111.75 | 139.69 |
| 44172278 | SimNet joiner red with terminator | 111.75 | 139.69 |

Price Book

| Part Number | Description | RRP excl. | RRP incl. |
|---------------|---|-----------|-----------|
| 24006306 |  SimNet bulkhead T-connector | 409.75 | 512.19 |
| 24005886 |  SimNet protection plug | 29.80 | 37.25 |
| 24005878 |  SimNet cable gland | 134.10 | 167.63 |
| 24005928 |  SimNet cable protection cap | 44.70 | 55.88 |
| 24006413 |  Micro-C female to SimNet 4 m (13 ft) cable that connects a NMEA 2000® product to a SimNet backbone | 298.00 | 372.50 |
| 24006199 |  Micro-C female to SimNet 0.5 m (1.6 ft) cable that connects a NMEA 2000® product to a SimNet backbone | 223.50 | 279.38 |
| 24005729 |  SimNet to Micro-C (male) cable that connects a SimNet product to a NMEA 2000® backbone 0.5 m (1.6 ft) | 238.40 | 298.00 |
| 24005936 |  AT10 Two way general NMEA 0183 to SimNet converter | 707.75 | 884.69 |
| 000-00020-001 |  ST10 Simnet programming Toolkit | 1110.05 | 1387.56 |
| 000-10628-001 |  SIMKIT-3. Micro-C to SimNet. | 812.05 | 1015.06 |

Accessories

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|-------------|-----------|-----------|
| Spare Parts | | | |
| Part Number | Description | RRP excl. | RRP incl. |

Price Book

NMEA2000

Main Products

| Part Number | Description | RRP excl. | RRP incl. |
|---------------|---|-----------|-----------|
| 000-0120-39 | EP-60R Fuel flow sensor, with 10 ft cable and T-connector | 1482.55 | 1853.19 |
| 000-0120-41 | EP-65R Fluid level sensor, with 10 ft cable and T-connector | 737.55 | 921.94 |
| 000-0120-49 | EP-70R Transom mount paddlewheel speed sensor, with 3 m (10 ft) cable and T-connector | 737.55 | 921.94 |
| 000-0120-51 | EP-80R Transom mount temperature sensor, with 3 m (10 ft) cable and T-connector | 737.55 | 921.94 |
| 000-0120-53 | EP-80R Thru-hull temperature sensor, with 3 m (10 ft) cable and T-connector | 737.55 | 921.94 |
| 000-0120-73 | EP-85R Storage Device tracks tank fuel used, trip fuel used, and seasonal fuel used for up to 3 NMEA 2000 engines, with 2ft cable and T-connector | 737.55 | 921.94 |
| 000-0120-29 | EP-90R Pressure sensor, with 3 m (10 ft) cable and T-connector | 737.55 | 921.94 |
| 000-0120-62 | Evinrude engine interface cable 4.5 m (15 ft) and T-connector | 737.55 | 921.94 |
| 000-0120-37 | Yamaha engine interface cable 4.5 m (15 ft) and T-connector | 737.55 | 921.94 |
| 000-0119-79 | N2K-T-RD - NMEA 2000® T-connector for connection of an additional network device | 139.91 | 174.89 |
| 000-0119-88 | N2KEXT-2RD - 0.61 m (2-ft) NMEA 2000® cable for backbone extension or drop cable to connect an additional network device | 197.57 | 246.97 |
| 000-0127-53 | N2KEXT-6RD - 1.82 m (6-ft) NMEA 2000® cable for backbone extension or drop cable to connect an additional network device | 311.56 | 389.45 |
| 000-0119-86 | N2KEXT-15RD - 4.55 m (15-ft) NMEA 2000® cable for backbone extension or drop cable to connect an additional network device | 349.55 | 436.94 |
| 000-0119-83 | N2KEXT-25RD - 7.58 m (25-ft) NMEA 2000® cable for network backbone extension only | 489.69 | 612.11 |
| 000-0119-75 | N2K-PWR-RD - NMEA 2000® power cable. Includes power cable and 1 x T connector | 364.75 | 455.94 |
| 000-10404-001 |  MICRO-C, FIELD CONNECTOR | 178.80 | 223.50 |
| 000-0127-52 | TR-120-KIT - Set of 1 male and 1 female NMEA 2000® terminators | 139.54 | 174.42 |

Price Book

| Part Number | Description | RRP excl. | RRP incl. |
|--------------------|--|---|-----------------|
| 000-10828-001 |  SIMRAD Image Pending | NMEA2000 Network Interface Bridge is designed to isolate power in sections of the NMEA2000 network. Use for interfacing to other N2k networks such as C-Zone, or split a very large network so power can be supplied to each section. Each port provides network termination. | 2011.50 2514.38 |
| 000-10757-001 |  SIMRAD Image Pending | 20 m (66 ft) NMEA2000 Wind vane cable (Micro-C male - Simnet) | 596.00 745.00 |
| 000-10758-001 |  SIMRAD Image Pending | 35 m (66 ft) NMEA2000 Wind vane cable (Micro-C male - Simnet) | 819.50 1024.38 |
| 000-10760-001 |  SIMRAD | NMEA2000 Network starter kit | 812.05 1015.06 |
| 000-10996-001 |  SIMRAD | NMEA2000 4-way joiner. Connect four NMEA2000 Micro-C devices to the NMEA2000 Network. | 335.25 419.06 |
| 000-10647-001 |  SIMRAD | Wind sensor with 35m (115 ft) cable. To connect wind sensors to a NMEA 2000 Micro-C netowork | 3494.05 4367.56 |
| 000-10652-001 |  SIMRAD | Wind sensor with 20m (66 ft) cable. To connect wind sensors to a NMEA 2000 Micro-C netowork | 4088.19 4088.19 |
| 000-10570-001 |  SIMRAD | 508 WIND VANE INCL. BRACKET & 20M CABLE | 3270.55 4088.19 |
| 000-10571-001 |  SIMRAD | 508 WIND VANE INCL. BRACKET & 35M CABLE | 3494.05 4367.56 |
| Accessories | | | |
| Spare Parts | | | |
| 000-0119-79 |  SIMRAD | N2K-T-RD - NMEA 2000® T-connector for connection of an additional network device | 139.91 174.89 |
| 000-0119-86 |  SIMRAD | N2KEXT-15RD - 4.55 m (15-ft) NMEA 2000® cable for backbone extension or drop cable to connect an additional network device | 349.55 436.94 |
| 000-0119-75 |  SIMRAD | N2K-PWR-RD - NMEA 2000® power cable. Includes power cable and 1 x T connector | 364.75 455.94 |
| 000-0127-52 |  SIMRAD Image Pending | TR-120-KIT - Set of 1 male and 1 female NMEA 2000® terminators | 139.54 174.42 |
| 000-10573-001 |  SIMRAD Image Pending | IS20 Wind vane mast bracket | 439.55 549.44 |

Price Book

Ethernet

Main Products

| Part Number | Description | RRP excl. | RRP incl. |
|---------------|---|-----------|-----------|
| 000-10029-001 | NEP-2 Network Expansion Port  | 1892.30 | 2365.38 |
| 000-0127-51 | Ethernet cable yellow 5 Pin 1.8 m (6 ft)  | 235.57 | 294.46 |
| 000-0127-29 | Ethernet cable yellow 5 Pin 4.5 m (15 ft)  | 349.78 | 437.22 |
| 000-0127-30 | Ethernet cable yellow 5 Pin 7.7 m (25 ft)  | 489.69 | 612.11 |
| 000-0127-37 | Ethernet cable yellow 5 Pin 15.2 m (50 ft)  | 699.56 | 874.44 |
| AA010082 | Ethernet RJ45 male / male cable 10 m (33 ft)  | 737.55 | 921.94 |
| 000-10437-001 | Ethernet adapter Crossover RJ45 M to yellow 5 pin F (s)  | 223.50 | 279.38 |
| 000-10438-001 | Ethernet adapter Straight RJ45 M to yellow 5 pin F  | 223.50 | 279.38 |

Accessories

| Part Number | Description | RRP excl. | RRP incl. |
|--------------------|--|-----------|-----------|
| Spare Parts | | | |
| Part Number | Description | RRP excl. | RRP incl. |
| 000-00128-001 | Power Cable:(4 Pin conn. to 4 bare wires for Power in, Power control bus and external alarm) 2 m (6.5 ft)  | 245.85 | 307.31 |

Price Book

Robnet

Main Products

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|---|-----------|-----------|
| 20213443 |  Robnet cable 1 m with male connectors | 648.15 | 810.19 |
| 20192266 |  Robnet cable 10 m with male and a female connectors | 1117.50 | 1396.88 |
| 22081145 |  Robnet cable 15 m with single male connector | 998.30 | 1247.88 |
| 20191607 |  Robnet cable 7 m with male connectors | 1057.90 | 1322.38 |

Accessories

| Part Number | Description | RRP excl. | RRP incl. |
|--------------------|-------------|-----------|-----------|
| Spare Parts | | | |
| Part Number | | | |

Price Book

Go Free

Main Products

| Part Number | Description | RRP excl. | RRP incl. |
|---------------|------------------------------|-----------|-----------|
| 000-11068-001 | GOFREE WIFI1 WIRELESS MODULE | 1482.55 | 1853.19 |



Accessories

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|-------------|-----------|-----------|
| | Spare Parts | | |

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|-------------|-----------|-----------|
| | | | |

Price Book

Spares current

Main Products

| Part Number | Description | RRP excl. | RRP incl. |
|---------------|--|-----------|-----------|
| 000-00004-001 |  Simrad MC50 mk2 Computer 24V DC 8 CH | 65560.00 | 81950.00 |
| 000-10668-001 |  12&25KW P.M ARM | 5550.25 | 6937.81 |
| 000-10669-001 |  12 KW SRT ELECTRONIC ASSY | 101841.50 | 127301.88 |
| 000-10670-001 |  25 KW SRT ELECTRONIC ASSY | 104411.75 | 130514.69 |
| 000-10671-001 |  12&25KW SRT POWER PCB | 13044.95 | 16306.19 |
| 000-10672-001 |  12KW SRT MOS PCB | 22491.55 | 28114.44 |
| 000-10673-001 |  25KW SRT MOS PCB | 25054.35 | 31317.94 |
| 000-10674-001 |  12&25KW SRT CONTROL PCB | 16330.40 | 20413.00 |
| 000-10675-001 |  12&25KW RF DETECTOR ASSY WITH LNFE | 26186.75 | 32733.44 |
| 000-10676-001 |  12KW MAGNETRON JRC MSF1425A | 13693.10 | 17116.38 |
| 000-10677-001 |  25KW MAGNETRON JRC MSF1475A | 15920.65 | 19900.81 |
| 000-10678-001 |  12&25KW DUPLEXER-CIRCULATOR 9375 MHZ | 3598.35 | 4497.94 |
| 000-10679-001 |  12&25KW TR-CELL | 6883.80 | 8604.75 |
| 000-10680-001 |  12&25KW NOISE DIODE | 10266.10 | 12832.63 |
| 000-10681-001 |  12&25KW BEARING READER PCB | 946.15 | 1182.69 |
| 000-10682-001 |  12&25KW SRT GEAR REDUCER | 15749.30 | 19686.63 |
| 000-10683-001 |  12&25KW MOTOR | 6846.55 | 8558.19 |
| 000-10684-001 |  12&25KW BRUSHLESS CONTROLLER ASSY | 12016.85 | 15021.06 |
| 000-10685-001 |  EXPANDED KEYBOARD KEYPAD | 23176.95 | 28971.19 |
| 000-10686-001 |  EXPANDED KEYBOARD PCB | 5341.65 | 6677.06 |
| 000-10687-001 |  TRACK BALL FOR EXPANDED KEYBOARD | 6049.40 | 7561.75 |
| 000-10688-001 |  ANTARES ASSY | 49386.05 | 61732.56 |
| 000-10689-001 |  POWER SUPPLY ELECTRONIC UNIT | 7807.60 | 9759.50 |
| 000-10690-001 |  ALPHA EXPANSION PCB ASSY | 19817.00 | 24771.25 |
| 000-10691-001 |  ALPHA PCB ASSY | 18483.45 | 23104.31 |
| 000-10744-001 |  SRT TRANSMISSION GEAR ASSY | 2570.25 | 3212.81 |
| 000-10745-001 |  SRT TRANSMISSION BEARING 90X55X18 | 774.80 | 968.50 |
| 000-10746-001 |  SRT TRANSMISSION BEARING 95X60X18 | 774.80 | 968.50 |
| 000-10937-001 |  HS70 SERIAL-TO-N2K ADAPTER | 968.50 | 1210.63 |

Price Book

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|---|-----------|-----------|
| 20211744 | AP50 Window  Image Pending | 298.00 | 372.50 |
| 20211801 | AP50 Gasket, 2mm  Image Pending | 208.60 | 260.75 |
| 20211819 | AP50 PROTECTION COVER  Image Pending | 298.00 | 372.50 |
| 20211868 | AP50 PCB BOARD ASSY  Image Pending | 5870.60 | 7338.25 |
| 20211918 | J50 MAIN PCB ASSY  Image Pending | 4693.50 | 5866.88 |
| 20211934 | J50 SW (PROM)  Image Pending | 1177.10 | 1471.38 |
| 20212007 | AP51 SW (PROM)  Image Pending | 1177.10 | 1471.38 |
| 20212015 | AP51 FRONT HOUSING ASSY  Image Pending | 1765.65 | 2207.06 |
| 20212031 | AP51 BOARD ASSY  Image Pending | 5870.60 | 7338.25 |
| 20212189 | AP50 SW (PROM)  Image Pending | 1177.10 | 1471.38 |
| 20212213 | AP50 FRONT HOUSING ASSY  Image Pending | 4693.50 | 5866.88 |
| 20212247 | AP50 INSTALLATION ACC'S (screws, gasket,  Image Pending | 298.00 | 372.50 |
| 20212288 | FU50 BOARD ASSY  Image Pending | 2346.75 | 2933.44 |
| 20212312 | FU50 Housing incl. Panel w/Bd.  Image Pending | 4112.40 | 5140.50 |
| 20212452 | POTENTIOMETER WITH BRACKET AND WIRES  Image Pending | 707.75 | 884.69 |
| 20212528 | J50 POWER PCB ASSY  Image Pending | 6459.15 | 8073.94 |
| 20212544 | J50 FILTER PCB ASSEMBLY  Image Pending | 1467.65 | 1834.56 |
| 20212916 | J50-40 POWER PCB ASS'Y  Image Pending | 7040.25 | 8800.31 |
| 20213096 | AD50 PCB Assy  Image Pending | 3643.05 | 4553.81 |
| 20213104 | AD50 SW (PROM)  Image Pending | 1177.10 | 1471.38 |
| 20213278 | GI51 PCB ASSY  Image Pending | 4946.80 | 6183.50 |
| 20213815 | GI51 pendulum ferry feature  Image Pending | 2935.30 | 3669.13 |
| 20220356 | RGC50 GYROCOMPASS MANUAL NET  Image Pending | 298.00 | 372.50 |
| 20331997 | COURSE DETECTOR TRIPOD HOLDER  Image Pending | 745.00 | 931.25 |
| 22011183 | RF45 TRANSMISSION LINK ASS'Y  Image Pending | 1028.10 | 1285.13 |
| 22011258 | RF45X PCB W/POTENTIOMETER  Image Pending | 1296.30 | 1620.38 |
| 22022396 | R3000X FRONT PANEL  Image Pending | 238.40 | 298.00 |
| 22081152 | CDI35 PCB ASS'Y  Image Pending | 826.95 | 1033.69 |
| 22081178 | RFC35 PCB ASS'Y (MOTHER BOARD)  Image Pending | 2570.25 | 3212.81 |
| 22081251 | AC10/AC20/J3000X/J300X POWER PCB ASS'Y  Image Pending | 3523.85 | 4404.81 |

Price Book

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|---|-----------|-----------|
| 22081285 |  J300X MAIN PCB ASS'Y | 2935.30 | 3669.13 |
| 22081335 |  RFC35/RC25 HOUSING GASKET | 149.00 | 186.25 |
| 22081640 |  J300X SW (PROM) | 1177.10 | 1471.38 |
| 22081913 |  NI300X PCB ASS'Y | 3814.40 | 4768.00 |
| 22081921 |  NI300X SW (PROM) | 1177.10 | 1471.38 |
| 22081947 |  J300X-40 POWER PCB ASSY | 4112.40 | 5140.50 |
| 22082697 |  ROBNET MALE CONNECTOR ASS'Y | 290.55 | 363.19 |
| 22082705 |  ROBNET CONN, FEMALE W/PINS | 290.55 | 363.19 |
| 22082804 |  AP35 PCB ASSY. (SEE MEMO RE: C | 4693.50 | 5866.88 |
| 22082879 |  AP35 COURSE SELECTOR KNOB | 178.80 | 223.50 |
| 22082895 |  AP35 FRONT PANEL KEYPAD | 707.75 | 884.69 |
| 22082945 |  AP35 FRONT HOUSING ASS'Y | 4112.40 | 5140.50 |
| 22082978 |  AP35 SW (PROM) | 1177.10 | 1471.38 |
| 22084115 |  RI35MK2 METER & BOARDS ASSY | 2056.20 | 2570.25 |
| 22084289 |  EXCH: HS50 PROCESSING UNIT | 8612.20 | 10765.25 |
| 22084370 |  RC25 PCB ASSY | 4112.40 | 5140.50 |
| 22084396 |  RC37 PCB ASS'Y | 4693.50 | 5866.88 |
| 22084446 |  RC37 Rate Compass | 5870.60 | 7338.25 |
| 22085138 |  J300X-40 | 12069.00 | 15086.25 |
| 22086383 |  AP51 CBL W/GASKET | 1177.10 | 1471.38 |
| 22086904 |  RC25 BOTTOM HOUSING | 290.55 | 363.19 |
| 22086912 |  RC25 Top Housing | 290.55 | 363.19 |
| 22089155 |  TI51 PCB ASS'Y | 5870.60 | 7338.25 |
| 22501605 |  RF14XU ELECTRONIC XU MODULE | 5870.60 | 7338.25 |
| 22502751 |  UX CONVERTER UNIT | 10564.10 | 13205.13 |
| 22504005 |  TRANS. LINK FOR RF14XI/U | 998.30 | 1247.88 |
| 23241144 |  S35 PCB ASS'Y | 417.20 | 521.50 |
| 23241243 |  S35 SERVICE KIT(SPRNG,SWT,SEAL | 298.00 | 372.50 |
| 23241250 |  S35 BUTTON & COVER | 178.80 | 223.50 |
| 23602089 |  S9 SERVICE KIT (Springs & grease) | 417.20 | 521.50 |

Price Book

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|--|-----------|-----------|
| 26049759 |  9 PINS NMEA CONVERTER | 2346.75 | 2933.44 |
| 26054999 |  CHASSIS FAN | 588.55 | 735.69 |
| 26055046 |  FB200 MC 24V FILTERBOX | 4112.40 | 5140.50 |
| 26055137 |  Cifu Board Assy | 3523.85 | 4404.81 |
| 26056200 |  CHART INTERFACE UNIT | 14669.05 | 18336.31 |
| 26056218 |  LS60-M LOUDSPEAKER | 2346.75 | 2933.44 |
| 26056473 |  ALARM RESET UNIT | 2525.55 | 3156.94 |
| 26056945 |  PLECDIS KIT | 3523.85 | 4404.81 |
| 26057570 |  EQUINOX ADAPTER CABLE ASSY | 648.15 | 810.19 |
| 27101427 |  RGC50 INVERTER UNIT | 50481.20 | 63101.50 |
| 27101559 |  RGC50 INVERTER UPGRADE KIT | 20882.35 | 26102.94 |
| 27101674 |  GC80 MASTER COMPASS ONLY | 23467.50 | 29334.38 |
| 27101682 |  GC85 MASTER COMPASS ONLY | 23467.50 | 29334.38 |
| 27102128 |  GYRO SLIP RING LUBE OIL, 30ml | 149.00 | 186.25 |
| 27103605 |  RGC50 ROTOR COVER O-RING (2 PCS.) | 149.00 | 186.25 |
| 27103613 |  RGC10/11 LIQUID BALLISTIC O-RING (4 PC.) | 149.00 | 186.25 |
| 27103621 |  RGC10/11 KNOB/SCREW (2 PCS.) | 96.85 | 121.06 |
| 44116754 |  LCD DISPLAY 4 DIGITS 0.5" | 305.45 | 381.81 |
| 44118388 |  RF14 POTENTIOMETER | 3538.75 | 4423.44 |
| 44134856 |  GC80/85/RGC12 HARNESS ASS'Y N-E | 6705.00 | 8381.25 |
| 44134872 |  GC80/85/RGC12 ELEMENT CARTON BOX | 141.55 | 176.94 |
| 44134880 |  CARDBOARD BOX, RGC10/11 SENS.E | 208.60 | 260.75 |
| 44134898 |  CARDBOARD BOX,RGC50 SENS.ELEME | 186.25 | 232.81 |
| 44137313 |  RGC50 SENSITIVE ELEMENT | 64531.90 | 80664.88 |
| 44137354 |  RGC50 FLW-UP TRANSF.PRIM.SIDE | 722.65 | 903.31 |
| 44137396 |  RGC50 SUSP.WIRE ASS'Y (6 WIRE) | 12210.55 | 15263.19 |
| 44137412 |  RGC50 LIQUID BALLISTIC ASS'Y | 2309.50 | 2886.88 |
| 44137495 |  RGC50/10/11 BEARING V.AXIS & HORIS. RING | 2674.55 | 3343.19 |
| 44137503 |  RGC50 POINTER ASS'Y | 640.70 | 800.88 |
| 44137511 |  RGC50 BEARING PH.RING NORTH | 700.30 | 875.38 |

Price Book

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|-----------------------------------|-----------|-----------|
| 44137529 | RGC50 BEARING PH.RING SOUTH | 253.30 | 316.63 |
| 44137537 | RGC50 BEARING PH.RING LOWER | 186.25 | 232.81 |
| 44137545 | RGC50 FLEXIBLE WIRE ASSEMBLY | 1773.10 | 2216.38 |
| 44137552 | RGC50 FLEX.WIRE ASS'Y HOR.(5) | 417.20 | 521.50 |
| 44137560 | RGC50 SEAL BINNACLE CABLE | 134.10 | 167.63 |
| 44137578 | RGC50 BRUSH ASS'Y | 6772.05 | 8465.06 |
| 44137610 | LAMP 24V 2W BA-9S/13 TIMER ON | 96.85 | 121.06 |
| 44137628 | LAMP "ON" LED (SDB205B) | 141.55 | 176.94 |
| 44137685 | RGC50 CABLE ASS'Y INVERTER | 3978.30 | 4972.88 |
| 44137727 | RGC50 COVER FLEX.HOR.WIRE | 350.15 | 437.69 |
| 44137743 | LAMP 12V/60mA COMPASS CARD | 223.50 | 279.38 |
| 44137776 | RGC50 GLASS | 2033.85 | 2542.31 |
| 44137974 | RGC50 OIL WICK: ROTOR BEARING | 111.75 | 139.69 |
| 44137982 | RGC50 OIL WICK: ROTOR BEARING | 119.20 | 149.00 |
| 44137990 | RGC50 OIL WICK: ROTOR BEARING | 96.85 | 121.06 |
| 44138022 | RGC10/RGC50 Bearing Oil | 350.15 | 437.69 |
| 44138048 | ROBNET CABLE, PER FOOT | 74.50 | 93.13 |
| 44138246 | RGC10/11 LUBBER LINE (HEAD MARK) | 692.85 | 866.06 |
| 44138253 | RGC10/11 LAMP, COMPASS CARD | 96.85 | 121.06 |
| 44138261 | RGC10 SHOCK ABSORBER ASS'Y | 46316.65 | 57895.81 |
| 44138279 | RGC10 SYNC.TRANSM. 15 CX14 | 8805.90 | 11007.38 |
| 44138287 | SERVO MOTOR, RGC10/11 | 13499.40 | 16874.25 |
| 44138360 | LIQUID BALISTIC OIL | 1989.15 | 2486.44 |
| 44138378 | DAMPER OIL (15 CCM/TUBE) | 335.25 | 419.06 |
| 44138386 | GREASE FOR UPPER VERTICAL BEARING | 365.05 | 456.31 |
| 44138451 | GREASE FOR ROTOR BEARING 30 GR | 372.50 | 465.63 |
| 44138527 | RGC10/11 SUSPENSION WIRE ASS'Y | 14773.35 | 18466.69 |
| 44140630 | FILTER ARRAY 80x80 | 208.60 | 260.75 |
| 44140853 | RGC10/11 COMPASS CARD | 1773.10 | 2216.38 |
| 44140861 | GC80/85/RGC11/12 BRUSH ASS'Y | 2771.40 | 3464.25 |

Price Book

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|--------------------------------------|-----------|-----------|
| 44140879 | RGC10/11 T/M PCB ASS'Y VER.1 | 8619.65 | 10774.56 |
| 44140895 | RGC11 SERVO AMPLIFIER PCB | 8008.75 | 10010.94 |
| 44140903 | RGC11 CPU I/F PCB | 10571.55 | 13214.44 |
| 44140994 | RGC11 GLASS | 2063.65 | 2579.56 |
| 44141000 | RGC11 COVER | 618.35 | 772.94 |
| 44141026 | RGC11 CPU PCB | 52142.55 | 65178.19 |
| 44141034 | RGC11 CPU P.S. PCB ASS'Y | 9744.60 | 12180.75 |
| 44141059 | RGC50 COMPASS CARD | 946.15 | 1182.69 |
| 44141075 | RGC11 PANEL ASS'Y, CONTROL PCB | 17135.00 | 21418.75 |
| 44141083 | RGC10/11 PHANTOM RING | 5602.40 | 7003.00 |
| 44141109 | RGC10/11 BEARING HOR.RING N/S | 499.15 | 623.94 |
| 44141323 | RGC10/11 OIL DAMPER CASE | 305.45 | 381.81 |
| 44141349 | RGC11 HARNESS E-N | 1162.20 | 1452.75 |
| 44141356 | RGC11 HARNESS W-N | 1162.20 | 1452.75 |
| 44141364 | RGC10/11 DAMPER CASE COVER | 178.80 | 223.50 |
| 44141380 | RGC10/11 STEP AMP PCB VER 1 | 10772.70 | 13465.88 |
| 44141406 | RGC10/11 SERVO MOTOR ASS'Y W/O MOTOR | 17723.55 | 22154.44 |
| 44141463 | RGC50 BUFF. AMP. PCB ASS'Y | 6772.05 | 8465.06 |
| 44141562 | MSD50 GEAR MOTOR | 700.30 | 875.38 |
| 44141612 | RGC10/11 NOISE FILTER | 1273.95 | 1592.44 |
| 44141620 | RGC10/11 SPUR GEAR | 1706.05 | 2132.56 |
| 44141653 | RGC50 Power Amp. PCB Assy | 4984.05 | 6230.06 |
| 44141703 | RGC11 INV. OCT. PCB | 6265.45 | 7831.81 |
| 44141760 | RGC10/11/GC80/85 INVERTER A | 27706.55 | 34633.19 |
| 44141802 | RGC11 PRIMARY PICK-UP COIL | 5647.10 | 7058.88 |
| 44141810 | RGC11 SECONDARY PICK-UP COIL | 2153.05 | 2691.31 |
| 44141836 | GC80/85/RGC12, Rubber Cap | 119.20 | 149.00 |
| 44142081 | GC80/85/RGC11/12 SLIP RING | 6675.20 | 8344.00 |
| 44142099 | RGC50 SLIP RING | 7084.95 | 8856.19 |
| 44142313 | GC80/85 MCC PCB ASSY | 10877.00 | 13596.25 |

Price Book

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|---|-----------|-----------|
| 44142321 |  GC80/85 SMCC PCB ASS'Y <small>Image Pending</small> | 3494.05 | 4367.56 |
| 44142339 |  GC80/85 MTTRM PCB ASS'Y <small>Image Pending</small> | 1214.35 | 1517.94 |
| 44142347 |  GC80/85 STEP MOTOR <small>Image Pending</small> | 5542.80 | 6928.50 |
| 44142354 |  GC80/85 ICIF PCB ASS'Y <small>Image Pending</small> | 12620.30 | 15775.38 |
| 44142362 |  GC80/85 GPANEL PCB ASS'Y <small>Image Pending</small> | 1005.75 | 1257.19 |
| 44142370 |  GC80/85 IOPT PCB ASS'Y <small>Image Pending</small> | 4723.30 | 5904.13 |
| 44142388 |  GC80/85 ITERM PCB ASS'Y <small>Image Pending</small> | 826.95 | 1033.69 |
| 44142396 |  GC80/85 SWITCH ASS'Y <small>Image Pending</small> | 1482.55 | 1853.19 |
| 44142404 |  GC80/85 SWITCH COVER <small>Image Pending</small> | 89.40 | 111.75 |
| 44142412 |  GC80/85 GPOWER PCB ASSY. <small>Image Pending</small> | 13752.70 | 17190.88 |
| 44142420 |  GC80/85 SCC PCB ASS'Y <small>Image Pending</small> | 11800.80 | 14751.00 |
| 44142438 |  GC80/85 SCOIF PCB ASS'Y (EXPANDED) <small>Image Pending</small> | 10571.55 | 13214.44 |
| 44142446 |  GC80/85 GTERM PCB ASS'Y <small>Image Pending</small> | 10266.10 | 12832.63 |
| 44142453 |  GC80/85 SCOIF PCB ASS'Y (DUAL) <small>Image Pending</small> | 22990.70 | 28738.38 |
| 44142461 |  GC80/85 DTERM PCB ASS'Y <small>Image Pending</small> | 3285.45 | 4106.81 |
| 44142479 |  GC80/85 DRY PCB ASS'Y <small>Image Pending</small> | 3389.75 | 4237.19 |
| 44142487 |  GC80/85 DPANEL PCB ASS'Y <small>Image Pending</small> | 826.95 | 1033.69 |
| 44142495 |  GC80/85 PCC PCB ASS'Y <small>Image Pending</small> | 6362.30 | 7952.88 |
| 44142503 |  RGC50 RUBBER STOPPER <small>Image Pending</small> | 96.85 | 121.06 |
| 44142511 |  RGC11 LIQUID BALLISTIC ASSY <small>Image Pending</small> | 7628.80 | 9536.00 |
| 44148211 |  BALL JOINT DIA 12 x M12 (Substitutes 211) <small>Image Pending</small> | 1490.00 | 1862.50 |
| 44156578 |  OIL SEAL DIA 16X24X5.5 <small>Image Pending</small> | 74.50 | 93.13 |
| 44156594 |  BYPASS VALVE 24V COMPLETE <small>Image Pending</small> | 4462.55 | 5578.19 |
| 44163251 |  RPU300 BRUSH Hldr CUP TYPE #2 <small>Image Pending</small> | 216.05 | 270.06 |
| 44165579 |  RGC10/11 BEARING SERVO MOTOR <small>Image Pending</small> | 327.80 | 409.75 |
| 44166296 |  ADJUSTING WEIGHTS Ø19x1,5 mm, kit á 10pc <small>Image Pending</small> | 350.15 | 437.69 |
| 44166304 |  ADJUSTING WEIGHTS Ø19x1,0 mm, kit á 10pc <small>Image Pending</small> | 536.40 | 670.50 |
| 44166312 |  ADJUSTING WEIGHTS Ø19x0,5 mm, kit á 10pc <small>Image Pending</small> | 536.40 | 670.50 |
| 44166320 |  ADJUSTING WEIGHTS Ø10x1,5 mm, kit á 10pc <small>Image Pending</small> | 536.40 | 670.50 |
| 44166452 |  ILLUM. PANEL <small>Image Pending</small> | 1467.65 | 1834.56 |

Price Book

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|---|-----------|-----------|
| 44166593 | RGC12 OPT PCB ASS'Y  Image Pending | 9238.00 | 11547.50 |
| 44166601 | RGC12 ADD PCB ASS'Y  Image Pending | 7800.15 | 9750.19 |
| 44166619 | RGC12 OPS PCB ASS'Y  Image Pending | 17440.45 | 21800.56 |
| 44169654 | RGC50 COIL L1 INVERTER PCB  Image Pending | 2756.50 | 3445.63 |
| 44170124 | RPU300 REPL. CAP BRUSH/LEMAC  Image Pending | 141.55 | 176.94 |
| 44170132 | BRUSH CAP FOR RPU80/160 LEMAC MOTOR  Image Pending | 29.80 | 37.25 |
| 44170728 | GC85 SENSITIVE ELEMENT  Image Pending | 97676.95 | 122096.19 |
| 44170991 | POWER SUPPLY (ONLY 24V DC VERSION)  Image Pending | 4917.00 | 6146.25 |
| 44171213 | DIMMER POTENTIOMETER 4,7K  Image Pending | 119.20 | 149.00 |
| 44172526 | SIMRAD AR81 PCB  Image Pending | 9744.60 | 12180.75 |
| 44172740 | EQUINOX SST8P FULL/LOW PROFILE UNIV  Image Pending | 8805.90 | 11007.38 |
| 44174027 | RGC12/GC80 SEN ELEMENT  Image Pending | 83887.00 | 104858.75 |
| 44174035 | GC80/85/RGC12 HRZC PCB ASS'Y  Image Pending | 3494.05 | 4367.56 |
| 44174043 | MCU PCB ASSY, RGC12  Image Pending | 16419.80 | 20524.75 |
| 44174050 | RGC12 PMCU PCB ASS'Y  Image Pending | 6362.30 | 7952.88 |
| 44174068 | RGC12 STDM PCB ASS'Y  Image Pending | 11040.90 | 13801.13 |
| 44174076 | RGC12 SCU PCB ASSY  Image Pending | 8589.85 | 10737.31 |
| 44174084 | RGC12 POWER TRANSFORMER  Image Pending | 3613.25 | 4516.56 |
| 44174092 | RGC12 POWER SUPPLY PCB ASS'Y  Image Pending | 27289.35 | 34111.69 |
| 44174126 | RGC12 STEP MOTOR ASS'Y W/ STEP MOTOR  Image Pending | 16933.85 | 21167.31 |
| 44174134 | GC80/85/RGC12 BELT  Image Pending | 126.65 | 158.31 |
| 44174142 | RGC12 STEP MOTOR  Image Pending | 4723.30 | 5904.13 |
| 44174159 | RGC12 GLASS  Image Pending | 4246.50 | 5308.13 |
| 44174167 | RGC12 LINE FILTER  Image Pending | 1273.95 | 1592.44 |
| 44174175 | RGC12 BEARING, HORIZONTAL RING  Image Pending | 499.15 | 623.94 |
| 44174431 | GC80/85/RGC12 REFERENCE LEVEL TOOL  Image Pending | 3494.05 | 4367.56 |
| 44174449 | GC80/85/RGC12 FIXING JIG (SET)  Image Pending | 573.65 | 717.06 |
| 44175305 | RGC10/11 TERMINAL BOARD  Image Pending | 2741.60 | 3427.00 |
| 44175784 | ADJUSTING WEIGHTS Ø25x1,5 mm, kit á 10pc  Image Pending | 454.45 | 568.06 |
| 44175800 | RGC12 NSD PCB ASS'Y  Image Pending | 4723.30 | 5904.13 |

Price Book

| Part Number | Description | | RRP excl. | RRP incl. |
|-------------|---|--------------------------------------|-----------|-----------|
| 44176006 |  | RGC10/11 CERAMIC BEARINGS | 2875.70 | 3594.63 |
| 44176022 |  | Cherry keyboard | 4194.35 | 5242.94 |
| 44176733 |  | RGC50 FLW-UP PCB VER.5 | 10772.70 | 13465.88 |
| 44176774 |  | RGC50 1:1 SYNCHRO TRANSMITTER | 26268.70 | 32835.88 |
| 44176964 |  | RGC50 SERVOMOTOR | 10266.10 | 12832.63 |
| 44177012 |  | RGC50 SHAFT, HORIZ. RING N-SIDE | 4522.15 | 5652.69 |
| 44177020 |  | RGC50 SHAFT, HORIZ. RING S-SIDE | 4827.60 | 6034.50 |
| 44177038 |  | RGC10/11 AXIS, VERTICAL | 7502.15 | 9377.69 |
| 44177418 |  | RGC50 ROTOR BEARING | 4008.10 | 5010.13 |
| 44177673 |  | Plug for Sensor cable (male 4 pol) | 588.55 | 735.69 |
| 44177681 |  | Plug for Sensor cable (female 4 pol) | 588.55 | 735.69 |
| 44178184 |  | RGC50 INVERTER PCB ASS'Y VER. 7 | 13857.00 | 17321.25 |

Accessories

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|-------------|-----------|-----------|
| Spare Parts | | | |
| Part Number | Description | RRP excl. | RRP incl. |

Price Book

Spares legacy

Main Products

| Part Number | Description | RRP excl. | RRP incl. |
|-------------|--|-----------|-----------|
| 20120994 | SIMRAD MOUNTING KIT AP9 Mk3 Image Pending | 3523.85 | 4404.81 |
| 20125027 | SIMRAD D9X INTERCONNECT PCB ASSY. Image Pending | 2674.55 | 3343.19 |
| 20125175 | SIMRAD D9X SOLID STATE PCB ASSY 24VDC Image Pending | 5282.05 | 6602.56 |
| 20125423 | SIMRAD D9X SOLID STATE PCB 110VDC Image Pending | 5282.05 | 6602.56 |
| 20125720 | SIMRAD D9X SOLID STATE PCB 110/220VAC Image Pending | 5870.60 | 7338.25 |
| 20126611 | SIMRAD D9X POWER SUPPLY PCB Image Pending | 4693.50 | 5866.88 |
| 20126678 | SIMRAD D9X DUAL ANALOG PCB ASSY. Image Pending | 13134.35 | 16417.94 |
| 20168258 | SIMRAD AP9MKII/MK3 DISPLAY PCB Image Pending | 6496.40 | 8120.50 |
| 20168274 | SIMRAD AP9MKII/MK3 FRONT PCB ASSY. Image Pending | 8217.35 | 10271.69 |
| 20168290 | SIMRAD AP9MKII/MK3 INTERFACE PCB ASSY Image Pending | 11070.70 | 13838.38 |
| 20169157 | SIMRAD AP9MK3 FRONT PANEL KEYPAD Image Pending | 2935.30 | 3669.13 |
| 20169264 | SIMRAD AP9MK3 SOFTWARE V1R4**SEE MEMO Image Pending | 4462.55 | 5578.19 |
| 20171286 | SIMRAD F200 PCB COMPLETE Image Pending | 4112.40 | 5140.50 |
| 20171328 | SIMRAD F200 FRONT PANEL KEYPAD Image Pending | 1467.65 | 1834.56 |
| 20171484 | SIMRAD F200-40 REMOTE W/ACC Image Pending | 13886.80 | 17358.50 |
| 20184552 | SIMRAD R3000X/R2500 MOUNTING KIT Image Pending | 417.20 | 521.50 |
| 20184578 | SIMRAD R3000X CABLE Image Pending | 588.55 | 735.69 |
| 20191615 | SIMRAD Robnet 15 meter Image Pending | 1296.30 | 1620.38 |
| 20212759 | SIMRAD EXCH: HS50 DISPLAY UNIT W/ROBNET CABLE Image Pending | 5736.50 | 7170.63 |
| 20214235 | SIMRAD HS52 DISPLAY FRONT ASSY Image Pending | 1147.30 | 1434.13 |
| 20214334 | SIMRAD HS52 30m Cable / HS52 30m Cable (NEW) Image Pending | 1765.65 | 2207.06 |
| 21102827 | SIMRAD J200S/J45S PCB ASSY. Image Pending | 2935.30 | 3669.13 |
| 22015622 | SIMRAD RI9 PCB ASSY Image Pending | 2935.30 | 3669.13 |
| 22015671 | SIMRAD RI9 INSTRUMENT, 45 DEG SCALE Image Pending | 3203.50 | 4004.38 |
| 22015960 | SIMRAD RI9 45° Image Pending | 14669.05 | 18336.31 |
| 23603004 | SIMRAD FU91 FOLLOW UP STEERING LEVER Image Pending | 12910.85 | 16138.56 |
| 23603020 | SIMRAD FU91 FRONT PANEL 45 DEG. Image Pending | 886.55 | 1108.19 |
| 23603087 | SIMRAD FU9X PCB ASSY. Image Pending | 2935.30 | 3669.13 |
| 23603277 | SIMRAD FU91/92 PTTC SWITCH ASSY Image Pending | POA | POA |

Price Book

| Part Number | Description | RRP excl. | RRP incl. |
|--------------------|-------------|-----------|-----------|
| Accessories | | | |
| Part Number | Description | RRP excl. | RRP incl. |
| Spare Parts | | | |
| Part Number | Description | RRP excl. | RRP incl. |